

RFP Reference No: NPCI/RFP/2018-19/IT/16 dated 13.02.2019

**National Payments Corporation of India** 

Unit no. 202, 2nd floor, Raheja Titanium, CTS No. 201, Western Express Highway, Goregaon East, Mumbai 400 063

Email- itprocurement@npci.org.in

Website: www.npci.org.in

### **Copyright Notice**

Copyright© 2019 by National Payments Corporation of India. All rights reserved.

#### Disclaimer

The information contained in this Request for Proposal (RFP) document or information provided subsequently to Bidder or applicants whether verbally or in documentary form by or on behalf of National Payments Corporation of India (NPCI), is provided to the Bidder on the terms and conditions set out in this RFP document and all other terms and conditions subject to which such information is provided.

This RFP document is not an agreement and is not an offer or invitation by NPCI to any parties other than the Bidders/ applicants who are qualified to submit the Bids ("Bidders"). The purpose of this RFP document is to provide Bidder with information to assist the formulation of their Proposals. This RFP document does not claim to contain all the information each Bidder may require. Each Bidder should conduct its own investigations and analysis and should check the accuracy, reliability and completeness of the information in this RFP document and where necessary obtain independent advice. NPCI makes no representation or warranty and shall incur no liability under any law, statute, rules or regulations as to the accuracy, reliability or completeness of this RFP document. NPCI may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information in this RFP document.

**Note:** Bids will be opened in the presence of the Bidders' representatives who choose to attend Bid opening meeting.

#### Checklist

The following items must be checked before the Bid is submitted:

- 1. Demand Draft / Pay Order Rs. 11,800 (Rs Eleven thousand eight hundred only <u>inclusive</u> of GST@18%) towards cost of Bid document in Envelope -'A'
- 2. Demand Draft / Banker's Cheque / Bank Guarantee of INR 5,00,000/-(Rupee Five lakhs only) towards Bid Security in Envelope 'A'- Earnest Money Deposit (EMD)
- 3. Eligibility Criteria, Technical and Commercial Bids are prepared in accordance with the RFP document.
- 4. Envelope 'A'- Eligibility Criteria Response.
- 5. Envelope 'B'- Technical Response
- 6. Envelope 'C'- Indicative Commercial Bid.
- 7. All the pages of Eligibility Criteria Response, Technical Bid and Commercial Bid are duly sealed and signed by the authorized signatory.
- 8. RFP document duly sealed and signed by the authorized signatory on each page is enclosed in Envelope 'A'.
- 9. Prices are quoted in Indian Rupees (INR).
- 10. All relevant certifications, audit reports, etc. are enclosed to support claims made in the Bid in relevant Envelopes.
- 11. All the pages of documents submitted as part of Bid are duly sealed and signed by the authorized signatory.

CHECKLIST	3
ABBREVIATIONS AND ACRONYMS	7
SECTION 1 - BID SCHEDULE AND ADDRESS	8
SECTION 2 - INTRODUCTION	9
2.1 ABOUT NPCI	c
2.2 Objective of this RFP:	
2.3 COST OF THE RFP	
2.4 Due Diligence	
2.5 OWNERSHIP OF THIS RFP	
SECTION 3 – SCOPE OF WORK	10
3.1 Scope of work:	10
3.3 SINGLE POINT OF CONTACT	11
SECTION 4 - INSTRUCTION TO BIDDERS	12
SECTION 5 - INSTRUCTION TO BIDDERS	13
A. The Bidding Document	13
5.1 RFP	13
5.2 Cost of Bidding	13
5.3 CONTENT OF BIDDING DOCUMENT	13
5.4 CLARIFICATIONS OF BIDDING DOCUMENTS AND PRE-BID MEETING	13
5.5 AMENDMENT OF BIDDING DOCUMENTS	13
B. Preparation of Bid	13
5.6 BID PRICE	13
5.7 EARNEST MONEY DEPOSIT (EMD)	14
5.8 RETURN OF EMD	14
5.9 Forfeiture of EMD	14
5.10 PERIOD OF VALIDITY OF BIDS	14
5.11 Extension of Period of Validity	14
5.12 FORMAT OF BID	14
5.13 SIGNING OF BID	14
C. Submission of Bid	15
5.14 ENVELOPE BIDDING PROCESS	15
5.15 CONTENTS OF THE 3 ENVELOPES	15
5.16 BID SUBMISSION	16
5.17 BID CURRENCY	16
5.18 BID LANGUAGE	16
5.19 REJECTION OF BID	16
5.20 Deadline for Submission	16
5.21 Extension of Deadline for Submission of Bid	16
5.22 Late Bid	
5.23 Modifications and Withdrawal of Bids	16
5.24 RIGHT TO REJECT, ACCEPT/CANCEL THE BID	16
5.25 RFP ABANDONMENT	
5.26 BID EVALUATION PROCESS	17
5.27 CONTACTING NPCI	17
SECTION 6 - RID OPENING	19

6.1 OPENING OF BIDS	18
6.2 OPENING OF ELIGIBILITY AND TECHNICAL BIDS	18
6.3 OPENING OF ENVELOPE C - COMMERCIAL BIDS	18
SECTION 7 - BID EVALUATION	19
7.1 Preliminary Examination of Eligibility Bids	19
7.2 EXAMINATION OF TECHNICAL BIDS	19
7.3 TECHNICAL SCORING MATRIX:	19
7.4 EVALUATION OF COMMERCIAL BIDS:	20
7.5 Successful Evaluated bidder:	20
7.6 PRICE DISCOVERY METHOD:	20
SECTION 8 - TERMS AND CONDITIONS	21
8.1 NOTIFICATION OF AWARD / PURCHASE ORDER	21
8.2 TERM OF THE ORDER	21
8.3 ACCEPTANCE PROCEDURE	21
8.4 Performance Bank Guarantee	21
8.5 Taxes and Duties	21
8.6 KEY DELIVERABLES:	21
8.7 DELIVERY SCHEDULE	21
8.8 Delivery Address:	22
8.9 INCENTIVIZING THE SERVICE PROVIDERS	23
8.10 Penalty for default in delivery	23
8.11 Warranties	23
8.12 Support (AMC)	24
8.13 SERVICE LEVEL REQUIREMENTS (SLA)	24
8.14 PENALTY ON NON-ADHERENCE TO SLAS:	
8.15 Prices	24
8.16 Repeat Order:	25
8.17 Product Upgrades	
8.18 PAYMENT TERMS:	25
8.19 Migration activities for change of location:	25
8.20 CONFIDENTIALITY	26
8.21 Indemnity	26
8.22 BIDDER'S LIABILITY	26
8.23 Obligations of the Bidder	
8.24 EXIT OPTION AND CONTRACT RE-NEGOTIATION	27
8.25 Extension of Contract	
8.26 Order Cancellation	
8.27 TERMINATION OF PURCHASE ORDER/CONTRACT	28
8.28 Effect of Termination	
8.29 Force Majeure	
8.30 Resolution of Disputes	30
8.31 COMPLIANCE WITH APPLICABLE LAWS OF INDIA	
8.32 Legal Compliances:	
8.33 Intellectual Property Rights:	
8.34 Applicable Law and Jurisdiction	
8.35 SOLICITATION OF EMPLOYEES	
8.36 FACILITIES PROVIDED BY NPCI:	
8.37 NO DAMAGE OF NPCI PROPERTY	
8.38 FRAUDULENT AND CORRUPT PRACTICE	
8.39 GOVERNING LANGUAGE	
	_

8.40 Addresses for Notices	32
SECTION 9 - TECHNICAL SPECIFICATIONS	33
SECTION 10 - DOCUMENTS FORMS TO BE PUT IN ENVELOPE A	38
ANNEXURE A1 - BIDDER'S LETTER FOR EMD	38
ANNEXURE A2 - BID SECURITY (BANK GUARANTEE)	39
ANNEXURE A3 - BID SECURITY	40
ANNEXURE B - BID OFFER FORM (WITHOUT PRICE)	41
ANNEXURE C - BIDDER INFORMATION	43
ANNEXURE D - DECLARATION FOR CLEAN TRACK RECORD	44
ANNEXURE E - DECLARATION FOR ACCEPTANCE OF RFP TERMS AND CONDITIONS	45
ANNEXURE F - DECLARATION FOR ACCEPTANCE OF SCOPE OF WORK	46
ANNEXURE G - FORMAT POWER OF ATTORNEY	47
ANNEXURE H - ELIGIBILITY CRITERIA COMPLIANCE	48
ANNEXURE I - OEM / MANUFACTURER'S AUTHORIZATION LETTER	49
SECTION 11 - DOCUMENTS TO BE PUT IN ENVELOPE 'B'	50
ANNEXURE K - TECHNICAL COMPLIANCE	50
ANNEXURE O - CLIENT REFERENCE	55
SECTION 12 - DOCUMENTS TO BE PUT IN ENVELOPE 'C'	56
ANNEXURE M – INDICATIVE COMMERCIAL BID FORM	56
ANNEXURE N - COMMERCIAL BID (INDICATIVE)	57
ANNEXURE – L BILL OF MATERIAL	59
ANNEXURE Z - NON-DISCLOSURE AGREEMENT	60
ANNEXURE U – DECLARATION REGARDING DISTRIBUTION CHANNEL	64

### **Abbreviations and Acronyms**

The following abbreviations and acronyms defined in this RFP are as under

BG Bank Guarantee

DC Data Centre

EMD Earnest Money Deposit

IPR Intellectual Property Rights

LAN Local Area Network

NPCI National Payments Corporation of India

OEM Original Equipment Manufacturer

RFP Request for Proposal

PBG Performance Bank Guarantee

SAN Storage Area Network

SLA Service Level Agreement

WAN Wide Area Network

## Section 1 - Bid Schedule and Address

S.No.	Description	
1	Name of Project	Request for Proposal for procurement of Wi-Fi Equipment
2	Tender Reference Number	NPCI/RFP/2018-19/IT/16
3	Date of release of the RFP	13.02.2019
4	Last date of receiving vendor Pre-bid clarifications in writing	21.02.2019
5	Date and Time for Pre-bid Meeting	Not applicable
6	Last date and time for Bid Submission	28.02.2019 05.00 pm
7	Address for Place of Bid Submission	Unit no. 202, 2nd floor, Raheja Titanium, CTS No. 201, Western Express Highway, Goregaon East, Mumbai - 400063
8	Date and Time of Eligibility & Technical bid Opening	28.02.2019 05.30 pm
9	Date and Time of Commercial Bid Opening	Will be through Reverse Auction
10	Name and Address for communication	VP & Head - IT Procurement National Payments Corporation of India, Unit no. 202, 2nd floor, Raheja Titanium, CTS No. 201, Western Express Highway, Goregaon East, Mumbai 400 063
11	Bid Related Queries	Praveen Ratnagiri Contact: +91 7506446538 Email id: praveen.ratnagiri@npci.org.in Vilas Ambetkar Contact: +91 7045958877 Email id: vilas.ambetkar@npci.org.in Pratik Lotlikar Contact: +91 7506446522 Email id: pratik.lotlikar@npci.org.in Prashant Awale Contact: +91 8108108650 Email id: prashant.awale@npci.org.in Benny Joseph Contact: +91 2240503363 Email Id: benny.joseph@npci.org.in Rohan Vaidya Contact: +91 7506446533 Email id: rohan.vaidya@npci.org.in
12	Bid cost	Rs. 11,800/- (Rs. 10,000/- plus GST @18 %)
13	Bid Security	Rs 5,00,000/- (Rs Five lakhs only)

- Bids will be opened in the presence of the Bidders' representatives who choose to attend.
   Commercial evaluation will be through Reverse Auction.

#### Section 2 - Introduction

#### 2.1 About NPCI

National Payments Corporation of India (NPCI) is a Company registered under Section 25 of the Companies Act, 1956 (corresponding to Section 8 of The Companies Act, 2013) with its Registered Office in Mumbai, India. NPCI was promoted by 10 banks in India under the aegis of the Indian Bank's Association with majority shareholding by Public Sector Banks. Presently 56 banks are shareholders of NPCI. Out of which 19 are Public Sector Banks (PSB), 17 Private Sector Banks, 3 Foreign Banks, 7 Multi State Cooperative Banks and 10 Regional Rural Banks.

The vision, mission and values of NPCI are: Vision - To be the best payments network globally, Mission - Touching every Indian with one or other payment services and to make our mission possible, we live and work by five core values: Passion for Excellence, Integrity, Customer Centricity, Respect and Collaboration.

#### 2.2 Objective of this RFP:

The objective of the RFP is to procure Wi-Fi Equipment, for its offices located at PAN India (Hyderabad, Chennai, & Mumbai).

#### 2.3 Cost of the RFP

The Bidder shall bear all costs associated with the preparation and submission of its bid and NPCI will, in no case, be held responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

The Bidders can submit the bid response at NPCI's office at Unit no. 202, 2nd floor, Raheja Titanium, CTS No. 201, Western Express Highway, Goregaon East, Mumbai 400 063, along with non-refundable amount of Rs.11,800 (Rs Ten thousand plus GST@18%) in envelope A, payable in the form of Demand Draft/Pay Order from any scheduled commercial bank in India favouring "NATIONAL PAYMENTS CORPORATION OF INDIA" payable at Mumbai.

### 2.4 Due Diligence

The Bidders are expected to examine all instructions, terms and specifications stated in this RFP. The Bid shall be deemed to have been submitted after careful study and examination of this RFP document. The Bid should be precise, complete and in the prescribed format as per the requirement of this RFP document. Failure to furnish all information or submission of a bid not responsive to this RFP will be at the Bidders' risk and may result in rejection of the bid. Also the decision of NPCI on rejection of bid shall be final and binding on the bidder and grounds of rejection of Bid should not be questioned during/after the final declaration of the successful Bidder.

The Bidder is requested to carefully examine the RFP documents and the terms and conditions specified therein, and if there appears to be any ambiguity, contradictions, inconsistency, gap and/or discrepancy in the RFP document, Bidder should seek necessary clarifications by e-mail as mentioned in Section-1.

### 2.5 Ownership of this RFP

The content of this RFP is a copy right material of National Payments Corporation of India. No part or material of this RFP document should be published in paper or electronic media without prior written permission from NPCI.

#### Section 3 - Scope of Work

#### 3.1 Scope of work:

Scope of work involves the following:

1. Service Window & Call registration: 24X7

Resolution: As per the SLA terms

Call Registration Process: Via Web, Phone & mail.

OEM should have an office in India and the vendor should have a Service Centre at Hyderabad, Chennai,& Mumbai.

- 2. An undertaking needs to be provided by the OEM stating that in the event the bidder fails to resolve/handle any issue within stipulated time limits, OEM would take the responsibility of handling the issue directly or through its channel Partner
- 3. The Vendor shall attend unlimited breakdown calls on receipt of complaints. No Spares or any other items will be supplied by NPCI.
- 4. All spares to be used shall be genuine or compatible spare parts (in that order) and the same shall be procured from the authorized dealers or Manufacturers.
- 5. Service offered shall be in accordance with the service instructions and standard practice of original manufacturer.
- 6. The Vendor shall maintain service log book and record the nature of service rendered during each trouble shoot by the service representative and the same shall be duly signed by the NPCI official.
- 7. The Vendor shall co-ordinate with OEMs for support, configuration issues, hardware replacement etc.
- 8. The Vendor shall provide support for the Wi-Fi Equipment in case they are shifted to other location.
- 9. The vendor should provide the architecture, HLD, LLD for implementing the Wi-Fi solution.
- 10. The vendor should supply, install and commission the necessary hardware and software in Central location i.e. Hyderabad DC & Chennai DC and integrate Access Points located at different sites of Hyderabad, Chennai & Mumbai.
- 11. The solution will have to be extended to all NPCI office locations. The solution should have a capability to provide all user WIFI connectivity without any disturbance.
- 12. The solution should be user friendly.
- 13. The vendor should do the site survey before submission of the bid with BOQ of all NPCI locations for actual requirement of access points.
- 14. The vendor will install Wi-Fi hardware, software at required locations and will make the system available to branch / office locations.
- 15. The vendor will monitor the functioning of the systems until sign off has provided. . During the warranty/contract period, the vendor will apply patches and upgrades from time to time without any additional cost to NPCI.
- 16. In case of any problem observed or reported by the branch/office, the vendor should resolve the

problem immediately.

- 17. If the problem is related to network configuration, the vendor should co-ordinate with the Network Team of NPCI to resolve the same.
- 18. The vendor will repair / replace the equipment or providing the standby in case of any problem arises out of it during the warranty/Contract period. The vendor will own the responsibility of maintaining the System Uptime as per the defined SLAs.
- 19. The vendor will provide necessary training to the operation engineers engaged by NPCI. The training will cover installation, implementation, administration, usage, troubleshooting and interpretation of reports, logs etc.
- 20. The vendor will provide the complete documentation of the project both in hard copy and soft copy.
- 21. Vendors are expected to offer solutions covering all the functionality as mentioned in this RFP document. Incomplete responses are liable for disqualification.
- 22. <u>Designing and implementation Plan:</u> NPCI expects the vendor to submit a detailed plan for designing and implementation of the project which should include the full scope of the project as mentioned above. On acceptance of such plan by NPCI, the vendor is required to carry out the implementation including supply, installation, commissioning and testing of equipment etc.
- 23. <u>Security of the solution:</u> Being a financial institution, NPCI mandates that the solutions proposed facilitate necessary security checks and validation processes for ensuring foolproof access to the systems. These security measures should be an integral part of the product.
- 24. Multiple levels of authority: It is mandatory that the proposed solution provide multiple levels of access for users, managers, administrators etc., depending on their roles.
- 25. The software & hardware quoted by bidder should not be declared as End of life or End of Sale by the OEM at the time of bidding RFP. In case of EOL/EOS declares during contract period vendor should replace with the Latest Device with free of cost.
- 26. Every year vendor/OEM has to publish the report of EOL/EOS devices which are maintaining in the contract.
- 27. Additional Licenses and the support to be procured at the same cost during the Contract Period.
- 28. AMC cost should not be less than 8% of the cost of hardware / software

Technical specifications as per Annexure K

#### 3.3 Single Point of Contact

The selected Bidder shall appoint a single point of contact, with whom NPCI will deal with, for any activity pertaining to the requirements of this RFP.

#### Section 4 - Instruction to Bidders

#### 4.1 Eligibility Criteria

The Eligibility Criteria are furnished below:

- 1. The bidder is a Company registered under the Companies Act/ Partnership / LLP at least since last three years.
  - a. In case the bidder is the result of a merger / acquisition, at least one of the merging companies should have been in operation for at least 3 years as on date of submission of the bid.
  - b. In case the bidder is the result of a demerger / hiving off, at least one of the demerged company or resulting company should have been in operation for at least 3 years as on the date of submission of bid.
- 2. The bidder should have reported minimum annual turnover of Rs. 5 Cr as per audited financial statements in each of the last three financial years (i.e.2015-2016, 2016-2017 & 2017-2018) and should have reported profits (profit after tax) as per audited financial statements in at least two of last three financial years (i.e., 2015-2016, 2016-2017 & 2017-2018). In case audited financial statements for 2017-2018 are not ready, then management certified financial statement shall be considered for 2017-2018, however, this exception is not available in case of previous financial years. In case of a JV / Consortium / Strategic partnership, the bidder should have reported profits as per above criteria.
  - a. In case the bidder is the result of a merger / acquisition, due consideration shall be given to the past financial results of the merging entity for the purpose of determining the net worth, minimum annual turnover and profit after tax for the purpose of meeting the eligibility criteria; should the bidder be in operation for a period of less than 3 years. For this purpose, the decision of NPCI will be treated as final and no further correspondence will be entertained on this.
  - b. In case the bidder is the result of a demerger / hiving off, due consideration shall be given to the past financial results of the demerged company for the purpose of determining the net worth, minimum annual turnover and profit after tax for the purpose of meeting the eligibility criteria; should the bidder be in operation for a period of less than 3 years. For this purpose, the decision of NPCI will be treated as final and no further correspondence will be entertained on this.
- 3. The bidder should be authorized to quote for the OEM products and support. Further, the bidder shall submit the declaration stating that bidder will not remain associated with this RFP in any other capacity as a part of distribution channel provided such bidder has become eligible for commercial evaluation as per this RFP.
- 4. The bidder should not be currently blacklisted by any bank / institution in India or abroad.

#### Section 5 - Instruction to Bidders

#### A. The Bidding Document

#### 5.1 RFP

RFP shall mean Request for Proposal. Bid, Tender and RFP are used to mean the same.

The Bidder is expected to examine all instructions, forms, terms and conditions and technical specifications in the Bidding document. Submission of a bid not responsive to the Bidding Document in every respect will be at the Bidders risk and may result in the rejection of its bid without any further reference to the bidder.

### 5.2 Cost of Bidding

The Bidder shall bear all costs associated with the preparation and submission of its bid, and NPCI will in no case be responsible or liable for those costs.

### 5.3 Content of Bidding Document

The Bid shall be in 3 separate envelopes, Envelope A, B and C.

### 5.4 Clarifications of Bidding Documents and Pre-bid Meeting

A prospective Bidder requiring any clarification of the Bidding Documents may notify NPCI in writing at NPCI's address or through email any time prior to the deadline for receiving such queries as mentioned in Section 1.

Bidders should submit the queries only in the format given below:

Sr. No.	Document Reference	Page No	Clause No	Description in RFP	Clarification Sought	Additional Remarks (if any)

Replies to all the clarifications, modifications received through mail and email will be posted on NPCI's website. Any modification to the bidding documents which may become necessary shall be made by NPCI by issuing an Addendum.

#### 5.5 Amendment of Bidding Documents

- 1. At any time prior to the deadline for submission of bids, NPCI may for any reason, whether at its own initiative or in response to a clarification requested by a Bidder, amend the Bidding Documents.
- 2. Amendments will be provided in the form of Addenda to the Bidding Documents, which will be posted in NPCI's website. Addenda will be binding on Bidders. It will be assumed that the amendments contained in such Addenda had been taken into account by the Bidder in its bid.
- 3. In order to afford Bidders reasonable time to take the amendment into account in preparing their bids, NPCI may, at its sole and absolute discretion, extend the deadline for the submission of bids, in which case, the extended deadline will be posted on NPCI's website.
- 4. From the date of issue, the Addenda to the tender shall be deemed to form an integral part of the RFP.

#### B. Preparation of Bid

### 5.6 Bid Price

Prices would be <u>exclusive</u> of all taxes. The bidder shall meet the requirements of the applicable Goods & Services Tax (GST).

### 5.7 Earnest Money Deposit (EMD)

The Bidder is required to deposit Rs 5,00,000/- (Rupees Five Lakhs only) in the form of a Demand Draft / Pay order in favor of "National Payments Corporation of India" payable at Mumbai or Bank Guarantee issued by a scheduled commercial bank valid for six months, with a claim period of 12 months after the expiry of validity of the Bank Guarantee as per the statutory provisions in this regard, as per format in Annexure A1 or A2.

No interest will be paid on the EMD.

#### 5.8 Return of EMD

The EMDs of successful Bidder/s shall be returned / refunded after furnishing Performance Bank Guarantee as required in this RFP.

EMDs furnished by all unsuccessful Bidders will be returned on the expiration of the bid validity / finalization of successful Bidder, whichever is earlier.

#### 5.9 Forfeiture of EMD

The EMD made by the bidder will be forfeited if:

- a) Bidder withdraws its bid before opening of the bids.
- b) Bidder withdraws its bid after opening of the bids but before Notification of Award.
- c) Selected Bidder withdraws its bid / Proposal before furnishing Performance Bank Guarantee.
- d) Bidder violates any of the provisions of the RFP up to submission of Performance Bank Guarantee.
- e) Selected Bidder fails to accept the order within five days from the date of receipt of the order. However, NPCI reserves its right to consider at its sole discretion the late acceptance of the order by selected Bidder.
- f) Bidder fails to submit the Performance Bank Guarantee within stipulated period from the date of acceptance of the Purchase Order. In such instance, NPCI at its discretion may cancel the order placed on the selected Bidder without giving any notice.

### 5.10 Period of Validity of Bids

Bids shall remain valid for a period of 180 days after the date of bid opening as mentioned in Section 1 or as may be extended from time to time. NPCI reserves the right to reject a bid valid for a period shorter than 180 days as non-responsive, without any correspondence.

#### 5.11 Extension of Period of Validity

In exceptional circumstances, prior to expiry of the bid validity period, NPCI may request the Bidders consent to an extension of the validity period. The request and response shall be made in writing. Extension of validity period by the Bidder should be unconditional and irrevocable. The EMD provided shall also be suitably extended. A Bidder may refuse the request without forfeiting the bid Security.

### 5.12 Format of Bid

The bidder shall prepare two copies (one hard copy marked as ORIGINAL and <u>one soft copy)</u> of the <u>Technical</u> <u>Bid only</u>. In case of any discrepancy between them, the original shall govern.

The commercial bid will be submitted as hard copy only.

### 5.13 Signing of Bid

The Bid shall be signed by the Bidder or a person or persons as the case may be, duly authorized to sign on behalf of the Bidder.

All pages of the bid, except for printed instruction manuals and specification sheets shall be initialed by the person or persons signing the bid.

The bid shall contain no interlineations, erasures, or overwriting, except to correct errors made by the Bidder, in which case such corrections shall be initialed by the person or persons signing the Bid.

The bid shall be signed by a person or persons duly authorized to bind the bidder to the contract. Such authority shall be either in the form of a written and duly stamped Power of Attorney (Annexure H) or a Board Resolution duly certified by the Company Secretary, which should accompany the Bid.

#### C. Submission of Bid

5.14 Envelope bidding process

The Bid shall be prepared in 3 different envelopes, Envelope A, Envelope B and Envelope C.

Each of the 3 Envelopes shall then be sealed and put into an outer envelope marked as "Request for Proposal for procurement of Wi-Fi Equipment Solution".

The inner and outer envelopes shall be addressed to NPCI at the address mentioned in Section 1.

The inner envelopes shall indicate the name and address of the Bidder.

If the outer envelope is not sealed and marked as indicated, NPCI will assume no responsibility for the bids misplacement or premature opening.

### 5.15 Contents of the 3 Envelopes

#### Envelope A - Eligibility Bid

The following documents as per the sequence listed shall be inserted inside Envelope A:

- 1 Bid Earnest Money in the form of Demand Draft <u>OR</u> Bid Earnest Money in the form of Bank Guarantee format provided in Annexure A2
- 2 Bid Offer form (without price) Annexure B
- 3 Bidder Information Annexure C
- 4 Declaration of Clean Track Record by Bidder Annexure D
- 5 Declaration of Acceptance of Terms and Conditions Annexure E
- 6 Declaration of Acceptance of Scope of Work Annexure F
- 7 Power of Attorney for signing of bid Annexure G
- 8 Eligibility Criteria Matrix Annexure H
- 9 OEM/Manufacturer Authorization Letter Annexure I
- 10 Declaration regarding distribution channel Annexure U
- 11 Declaration stating that bidder will not remain associated with this RFP in any other capacity as a part of distribution channel provided such bidder has become eligible for commercial evaluation as per this RFP.
- 12 Three years audited Balance Sheet and Profit and Loss Statements.
- 13 RFP document duly sealed and signed
- 14 All necessary supporting documents as per Annexures

### Envelope B - Technical Bid

The following documents shall be inserted inside Envelope B:

- 1 Section 11 Compliance to Technical Requirements duly completed Annexure K
- 2 Client Details for Annexure O
- 3 Masked Price Bid(Annexure M, N)
- 4 Detailed Bill of Material for Hardware with line item details, giving quantity and functions (Masked Annexure L)

Technical Bid envelope shall not include any financial information. If the Technical Bid contains any financial information the entire bid will be rejected.

### Envelope C - Commercial Bid (indicative)

- 1 Indicative Commercial Bid Form Annexure M
- 2 Indicative Commercial Bid Annexure N
- 3 Detailed Bill of Material- Annexure L

#### 5.16 Bid Submission

The Bidder should bear all the costs associated with the preparation and submission of their bid and NPCI will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

Bids sealed in accordance with the instructions to Bidders should be delivered at the address as mentioned in the Section 1.

The offers should be made strictly as per the formats enclosed.

No columns of the tender should be left blank. Offers with insufficient/inaccurate information and offers which do not strictly comply with the stipulations given in this RFP, are liable for rejection.

### 5.17 Bid Currency

All prices shall be expressed in Indian Rupees only.

### 5.18 Bid Language

The bid shall be in English Language.

### 5.19 Rejection of Bid

The bid is liable to be rejected if the bid document:

- a) Does not bear signature of authorized person.
- b) Is received through Fax / E-mail.
- c) Is received after expiry of the due date and time stipulated for Bid submission.
- d) Is incomplete / incorrect.
- e) Does not include requisite documents.
- f) Is Conditional.
- g) Does not conform to the terms and conditions stipulated in this Request for Proposal.

No bid shall be rejected at the time of bid opening including extensions, if any, except for late bids and those that do not conform to bidding terms.

#### 5.20 Deadline for Submission

The last date of submission of bids is given in Section 1. However the last date of submission may be amended by NPCI and shall be notified through its website.

### 5.21 Extension of Deadline for submission of Bid

NPCI may, at its discretion, extend this deadline for submission of bids by amending the bidding documents which will be informed through NPCI website, in which case all rights and obligations of NPCI and Bidders will thereafter be subject to the deadline as extended.

### 5.22 Late Bid

Bids received after the scheduled time will not be accepted by the NPCI under any circumstances. NPCI will not be responsible for any delay due to postal service or any other means.

#### 5.23 Modifications and Withdrawal of Bids

Bids once submitted will be treated, as final and no further correspondence will be entertained on this.

No bid will be modified after the deadline for submission of bids.

### 5.24 Right to Reject, Accept/Cancel the bid

NPCI reserves the right to accept or reject, in full or in part, any or all the offers without assigning any reason whatsoever.

NPCI does not bind itself to accept the lowest or any tender and reserves the right to reject all or any bid or cancel the Tender without assigning any reason whatsoever. NPCI also reserves the right to re-issue the Tender without the Bidders having the right to object to such re-issue.

#### 5.25 RFP Abandonment

NPCI may at its discretion abandon the process of the selection of bidder at any time before notification of award.

#### 5.26 Bid Evaluation Process

The Bid Evaluation will be carried out in 2 stages:

- Stage 1 Envelope 'A' i.e. Eligibility bid and Envelope 'B' i.e. Technical bid will be evaluated. Only those Bidders who have submitted all the required forms and papers and comply with the eligibility and technical criteria will be considered for further evaluation.
- **Stage 2 -Envelope 'C'** of those Bidders who qualify the eligibility and technical criteria will be evaluated further for finalizing the start price for Reverse Auction.

#### 5.27 Contacting NPCI

From the time of bid opening to the time of Contract award, if any Bidder wishes to contact NPCI for seeking any clarification in any matter related to the bid, they should do so in writing by seeking such clarification/s from an authorized person. Any attempt to contact NPCI with a view to canvas for a bid or put any pressure on any official of the NPCI may entail disqualification of the concerned Bidder and/or its Bid.

#### Section 6 - Bid Opening

#### 6.1 Opening of Bids

Bids will be opened in 2 stages:

Stage 1 - In the first stage the Eligibility bid i.e. Envelope 'A' and Technical Bid i.e. Envelope 'B' will be opened.

**Stage 2** - Indicative Commercial bids i.e. Envelope 'C' will be opened for qualified bidders only as part of the process for finalizing the start price for Reverse Auction.

#### 6.2 Opening of Eligibility and Technical Bids

NPCI will open Technical bids (Envelope 'A') and Technical bid (Envelope 'B')in presence of Bidders or Bidders' representative(s) who choose to be present on the date, time and address mentioned in Section 1 or as amended by NPCI from time to time.

The representatives of the Bidders would be required to produce an authorization letter from the Bidder/ Identity Card to represent them at the time of opening of the bids. Only one representative will be allowed to represent each Bidder. In case the Bidder or its representative is not present at the time of opening of bids, the bids will still be opened at the scheduled time at the sole discretion of NPCI.

The bidder's representative who is present shall sign the register evidencing their attendance. In the event of the specified date of bid opening being declared a holiday for NPCI, the bids shall be opened at the appointed time and place on next working day.

### 6.3 Opening of Envelope C - Commercial Bids

Indicative Commercial bids will be opened only as part of the process for finalizing the start price for Reverse Auction.

Commercial evaluation will be done through Reverse Auction. Business Rules and Terms & Conditions and Procedures of Reverse Auction have been published on NPCI's website i.e. www.npci.org.in.

#### Section 7 - Bid Evaluation

### 7.1 Preliminary Examination of Eligibility Bids

NPCI will examine the bids to determine whether they are complete; whether the required information have been provided as underlined in the bid document; whether the documents have been properly signed and whether the bids are generally in order.

Eligibility and compliance to all the forms and Annexure would be the first level of evaluation. Only those Bids which comply to the eligibility criteria will be taken up for further technical evaluation.

NPCI may waive any minor informality, non-conformity or irregularity in a bid that does not constitute a material deviation provided such waiver does not prejudice or affect the relative ranking of any Bidder.

If a Bid is not substantially responsive, it will be rejected by NPCI and may not subsequently be made responsive by the Bidder by correction of the nonconformity. NPCI's determination of bid responsiveness will be based on the content of the bid itself. NPCI may interact with the Customer references submitted by Bidder, if required.

#### 7.2 Examination of Technical Bids

The Technical Evaluation will be based on the following broad parameters:

- a) Compliance to Technical Specifications as specified in the RFP.
- b) NPCI reserves the right to call for presentation and discussions on the approach of execution of project etc., from the short-listed Bidders based on the technical bids submitted by them to make an evaluation. Such presentations and minutes of meetings will become part of the technical bid.
- c) Review of written reply, if any, submitted in response to the clarification sought by NPCI, if any.
- d) Submission of duly signed compliance statement as stipulated in Annexures. Details / Brochures containing details about the proposed hardware are to be enclosed.
- e) To assist in the examination, evaluation and comparison of bids, NPCI may, at its discretion, ask any or all the Bidders for clarification and response shall be in writing and no change in the price or substance of the bid shall be sought, offered or permitted.
- f) NPCI may interact with the Customer references submitted by bidder, if required.
- g) NPCI reserves the right to shortlist bidders based on technical evaluation criteria.

In the event of only one responsive bidder or only one bidder emerging after the evaluation process, NPCI may continue with the RFP process.

#### 7.3 Technical scoring matrix:

Sr.No	Description	Score
	Technical Evaluation Part - A	
1	Technical Requirements compliance	50
2	Project phases, deliverables and timeframe for Project Completion	10
3	Site surveys , Implementation & Integration Plan	20
4	Service provider /System Integrator credentials	10
5	Q & A and Presentation	10
	Total Score	100

#### 7.4 Evaluation of Commercial Bids:

Commercial bids (indicative) of technically qualified short-listed bidders will be opened only as part of the process to arrive at the start price for the reverse auction.

Evaluation of commercial bids will be done through Reverse Auction Process. Business Rules and Terms & Conditions and Procedures of Reverse Auction have been published on NPCI's website.

If the first Reverse Auction is not successful, NPCI reserves the right to seek sealed commercial bids from the technically qualified bidders and declare the successful bidder through conventional L1 method instead of conducting the second Reverse Auction.

The decision with respect to conduct of second reverse auction or otherwise shall be communicated to technically qualified bidders.

### 7.5 Successful Evaluated bidder:

The bidder with lowest commercial bid identified through reverse auction process or conventional L1 method as the case maybe will be declared as the successful bidder and will be called L1 bidder for the required quantity. NPCI reserves the right to place the order with the L2 bidder, in case the L1 bidder refuses to accept the order or otherwise gets disqualified as per the terms of the RFP, provided the L2 bidder matches the price quoted by the L1 bidder. In case the 2nd lowest bidder is unable to match the L1 price, NPCI reserves the right to place order with the shortlisted L3 bidder and so on.

### 7.6 Price discovery method:

If first Reverse Auction does not result successful, NPCI reserves the right to seek sealed commercial bids from the technically qualified bidders and declare the successful bidder through conventional L1 method instead of conducting 2nd Reverse Auction. The decision with respect to conduct of 2nd Reverse Auction or otherwise shall be communicated to technically qualified bidders.

#### Section 8 - Terms and Conditions

#### 8.1 Notification of Award / Purchase Order

After selection of the L1 bidder, as given in Clause 7.4, and after obtaining internal approvals and prior to expiration of the period of Bid validity, NPCI will send Notification of Award / Purchase Order to the selected Bidder.

Once the selected Bidder accepts the Notification of Award the selected Bidder shall furnish the Performance Bank Guarantee to NPCI.

#### 8.2 Term of the Order

The term of the Notification of Award/Purchase Order shall be for a period of five (5) years wherein the price of the deliverables as specified in the RFP would be at a fixed rate.

#### 8.3 Acceptance Procedure

- Within 5 days of receipt of Notification of Award/Purchase Order the successful Bidder shall send the acceptance.
- Failure of the successful Bidder to comply with the above requirements shall constitute sufficient grounds for the annulment of the award.

#### 8.4 Performance Bank Guarantee

The Successful bidder shall, within 14 working days of receipt of Purchase Order, submit a Performance Bank Guarantee (PBG) equal to 10% of total value of the Purchase order (exclusive of taxes), valid for 5 years, with a claim period of 12 (twelve) months from the date of expiry of the validity period of the Bank Guarantee (BG), as per statutory provisions in force. In case the successful bidder is not in a position to submit the PBG for any reason, the successful bidder has to submit a Demand Draft drawn in favor of NPCI for equivalent amount or electronically transfer equivalent amount for credit in NPCI's account. Details of the NPCI's bank account will be furnished on request.

#### 8.5 Taxes and Duties

All taxes deductible at source, if any, shall be deducted at as per then prevailing rates at the time of release of payments.

Prices shall be exclusive of all taxes.

The bidder shall meet the requirements of applicable Goods & Services Tax (GST).

### 8.6 Key Deliverables:

Sr No	Features	Total Qty
1	Wi-Fi Controller(Hardware & Software) at Hyderabad DC	1
2	Wi-Fi Controllers (Hardware & Software) at Chennai DC	1
3	Wi-Fi Access Points(Hardware & Software) at Goregaon office	23
4	Wi-Fi Access Points(Hardware & Software) at BKC office	9
5	Wi-Fi Access Points(Hardware & Software) at Chennai office	13
6	Wi-Fi Access Points(Hardware & Software) at Chennai DC	15
7	Wi-Fi Access Points(Hardware & Software) at Hyderabad ICICI office	6
8	Wi-Fi Access Points(Hardware & Software) at Hyderabad DC office	10
		78

### 8.7 Delivery schedule

Hardware, Software & Licenses shall be delivered within 6 weeks of receipt of the purchase Order and installation of the Wi-Fi Solution should be completed within 4 weeks from date of delivery.

### 8.8 Delivery Address:

#### Wi-Fi Controller:

 National Payments Corporation of India, C/o, Reliance Communications Plot No.20, Survey No.64, opp. Mahindra Satyam Hi-tech City Layout, Madhapur, Hyderabad - 500081

Pavan Palaboya: 9963461728

 National Payments Corporation of India, 2nd floor IDC, Reliance Communication, Opposite to shastri Bhavan, Haddows Road, Nungambakkam Chennai - 600034 Jeyachandran S: 8526924206

### Wi-Fi Access Points:

- National Payments Corporation of India, C/o, Reliance Communications Plot No.20, Survey No.64, opp. Mahindra Satyam Hi-tech City Layout, Madhapur, Hyderabad - 500081 Pavan Palaboya :9963461728
- National Payments Corporation of India,2nd floor IDC, Reliance Communication, Opposite to shastri Bhavan,Haddows Road, Nungambakkam Chennai - 600034 Jeyachandran S:8526924206
- 5. National Payments Corporation of India,202, 2nd Floor, Raheja Titanium, Off Western Express Highway, Goregaon(E), Mumbai -400063 Vilas Ambetkar: 7045958877
- 6. National Payments Corporation of India, 1001A, "The Capital", B Wing, 10th Floor, Bandra Kurla Complex, Mumbai- 400 051 Vilas Ambetkar: 7045958877
- National Payments Corporation of India 8th Level, VBC Solitaire
   47 & 49 Bazullah Road, T. Nagar, Chennai - 600 017
   Jeyachandran S: 8526924206
- 8. National Payments Corporation of India, ICICI Towers, off ISB Road, Plot No. 12, 6th Floor, Tower-1 (North Wing), Nanakram Guda, Financial District, Hyderabad 500032, Telangana State Pavan Palaboya: 9963461728

#### 8.9 Incentivizing the Service Providers

- a)
- (i) Delivery of hardware / software / services in case of delivery of the deliverables earlier than the stipulated delivery schedule as per the Purchase Order 0.25% per week, for every week of early delivery, with a maximum of 2.5%, of the Order value of the respective component, i.e. hardware / software / services, as the case may be, provided the saving in delivery timeline / early delivery is not less than 20% of the prescribed delivery schedule, otherwise incentive will not be applicable. Vendors will not be eligible for any incentive if delivery happens as per the terms of the PO.
- (ii) Incentive will not be applicable in case the original delivery schedule is extended for any reason.
- (iii) Liquidated damages will continue to be levied for delays in delivery as per the terms of the PO, if the delays are attributable to the vendors.
- b)
- (i) Installation / Implementation in case of installation of hardware/software/services before the project time line defined in the Purchase Order 0.25% per week, for every week of early installation, with a maximum of 2.5%, of the Order value of the respective component, i.e. hardware / software / services, as the case may be, provided the saving in installation/ implementation timeline / early installation / implementation is not less than 20% of the prescribed installation / implementation schedule, otherwise incentive will not be applicable.
- (ii) Vendors will not be eligible for any incentive if installation happens as per the terms of the PO.

#### 8.10 Penalty for default in delivery

If the successful bidder does not deliver & implement the solution as per the above delivery schedule, or such authorized extension of delivery period as may be permitted in writing by NPCI, NPCI shall impose a penalty as given below:

- Non Delivery of above at NPCI at the rate of 0.5% of the total Purchase Order value for each week's delay beyond the stipulated delivery period subject to a maximum of 5%
- In case the delay exceeds 10 days beyond the stipulated delivery period of RFP, NPCI reserves the right to cancel the order without prejudice to other remedies available to NPCI
- Without any prejudice to NPCI's other rights under the Applicable Law, NPCI may recover the liquidated damages, if any, accruing to NPCI, as above, from any amount payable to the supplier, as per the Agreement.

#### 8.11 Warranties

The successful bidder(s) shall provide comprehensive on-site warranty for 3 years for Solution with back to back arrangements with the respective OEM from the date of acceptance of hardware / software.

The deliverable(s) should not have been declared End of Sale as on the date of submission of the bid and on the date of delivery.

The successful bidder(s) should ensure that the equipment proposed in this RFP, should not be declared as End of Life (EOL) or End of Support (EOS) by the OEM within the 5 years contract period.

If the deliverable(s) is declared End of Life (EOL) or End of Support anytime during the contract period, the successful bidder shall forthwith replace the equipment at no additional cost to NPCI.

Bidder shall also update necessary OS, Patches and should support the hardware and the software for the period of five years from the date of acceptance of the entire system.

The upgrades, new releases (Minor/major) versions, bug fixes etc. for the hardware and system software will be supplied to NPCI at no extra cost, with the necessary documentation during contract period.

#### 8.12 Support (AMC)

The successful bidder shall provide comprehensive on-site maintenance (AMC) of the solution with back to back support with the OEM, for a period of 2 years, after expiry of the warranty period of 3 years.

Cost of AMC should not be less than 8 % of the hardware cost.

Bidder shall provide and install patches/ updates/ version upgrades of all hardware/software provided under this contract at no extra cost to NPCI during Warranty and AMC period.

#### 8.13 Service Level Requirements (SLA)

The Wi-Fi is a business-critical application and must be available and accessible on 24x7x365 basis. The service provider shall ensure that the following SLA parameters are met:

	SLA Parameters	
Sr. No	SLA Parameter	Uptime Requirement (frequency)
1	Uptime of WIFI Controller	99% (monthly)
2	Uptime of WIFI Access Points (AP)	99% (monthly)

#### Computation of Availability:

Availability of service shall be assessed by the following formula on Monthly basis: Uptime % = 100 X Total Outage in Minutes/Maximum Available time in Minutes

#### 8.14 Penalty on non-adherence to SLAs:

- I. 0.25% of the total Order value if the bidder is not able to meet below 99% to 98% service uptime per month.
- II. 0.50% of the total Order value if the bidder is not able to meet below 98% to 97% service uptime per month.
- III. If the uptime is below 97%, per month NPCI would have the option to levy penalty of 1% of the total Order value.

If uptime is not met on 3 consecutive months, 15 days extension in the service period shall be granted beyond the 5 years term. Two such occasions of 3 months of consecutive uptime failure will be treated as serious discrepancy in quality of service.

The successful bidder shall remit to NPCI the penalty payable on account of breach of SLAs during the warranty period by means of cheque / DD drawn in favour of National Payments Corporation of India. In the event of non-payment of such penalty if any, NPCI reserves the right to recover such penalty by invoking the Performance Bank Guarantee submitted by the successful bidder or from the payments due to the successful bidder from NPCI.

Penalty for breach of SLAs during the AMC period shall be deducted from the AMC payments.

### 8.15 Prices

Price shall remain fixed for a period of five (5) years from the date of Notification of award / 1st Purchase Order. There shall be no increase in price for any reason whatsoever and therefore no request for any escalation of the cost / price shall be entertained.

<sup>\*\*</sup> Maximum Available Time = No. of days in month \* 24 \* 60 - (Scheduled Maintenance)

#### 8.16 Repeat Order:

NPCI reserves the right to place Purchase Orders with the selected bidder(s) for any or all of the goods and/or services at the agreed unit rate for individual categories of purchase order during the period of 1 year from the date of award / 1st Purchase Order.

### 8.17 Product Upgrades

Notwithstanding what is contained and provided in Clause 8.11 herein above, at any time during term of the purchase order / performance of the Contract, should technological advances be introduced by the OEM/ Bidder for information technologies originally offered by the supplier in its bid and still to be delivered, the bidder shall be obliged to offer to NPCI the latest version of the available technologies having equal or better performance or functionality throughout the contract period without any extra cost to NPCI.

During performance of the Contract, the bidder shall offer to NPCI all new versions, releases and updates of standard software, as well as related technical support within 30 days of their availability from the OEM.

### 8.18 Payment Terms:

#### HARDWARE & SOFTWARE:

- 100% of the cost shall be paid after <u>delivery of the solution</u> (software, hardware and License as per scope) and successful installation of solution at specified locations at the specified location mentioned in the PO.
- This would also include sign off obtained from NPCI duly certified by NPCI official.

Payment shall be released within 30 days after submission of correct invoice along with necessary supporting documents and successful installation report duly signed by NPCI officials.

#### **AMC**

AMC charges shall be paid quarterly in arrears after availing maintenance services.

Payment will be released within 30 days of receipt of correct invoices along with necessary documents / certificates duly signed by authorized NPCI official.

- a) The Recurring Service Charges will be paid quarterly in arrears after submission of necessary invoice and submission of quarterly reports including SLA and after deduction of penalties if any.
- b) For the purpose of payment, the end of the quarter will be June, Sept, Dec and March.
- c) The quarterly bills for the solution should be submitted to NPCI within 10 days of the last day of the relevant quarter.
- d) Invoice shall contain all details regarding GST number, PAN & registration number for service tax, VAT etc.

## 8.19 Migration activities for change of location:

In case NPCI wishes to shift the devices from one place to another anywhere in the country, adequate support will be made available by the bidder by arranging field engineer for the purpose of dismantling of devices supplied by Service provider & hand-over to the concerned Officials or Data Center, pre-shifting inspection, post-shifting inspection, re-installation etc. of all devices supplied by Service provider. All migration related activities to be done after Business / session hours /according to business convenience & the engineer have to be deployed as per the requirements. NPCI will bear all expenses for packing, shifting, insurance and other incidentals at actual. NPCI will not be responsible or liable for any losses, damages to the items of equipment's, tools and machinery while such dismantling, pre-shifting inspection, post-shifting inspection, and re-installation etc. is being carried out. Bidder shall make available adequate alternative arrangement to ensure that the system functioning is neither affected nor dislocated during the shifting process. It is the responsibility of field engineer to integrate devices delivered at required location or Data Center & coordinate with NPCI NOC to extend the reachability.

#### 8.20 Confidentiality

The Bidder shall treat the details of the documents as secret and confidential. The Successful Bidder shall execute separate NDA on the lines of the draft provided in the **Annexure Z** hereof.

In the event of disclosure of Confidential Information to a third party in violation of the provisions of this Clause, bidder shall use all reasonable endeavors to assist NPCI in recovering and preventing such third party from using, selling or otherwise disseminating of such information.

The Parties' obligations under this Section shall extend to the non-publicizing of any dispute arising out of this Agreement.

The terms of this clause shall continue in full force and effect for a period of five (5) years from the date of disclosure of such Confidential Information.

In the event of termination of this Agreement, upon written request of the NPCI, the bidder shall immediately return the Confidential Information of NPCI, or at the NPCI's option destroy any remaining Confidential Information and certify that such destruction has taken place.

### 8.21 Indemnity

The bidder shall indemnify, protect and save NPCI and hold NPCI harmless from and against all claims, losses, costs, damages, expenses, action suits and other proceedings, (including reasonable attorney fees), relating to or resulting from any act or omission or negligence or misconduct of the bidder and its employees and representatives, breach of the terms and conditions of the agreement or purchase order, false statement by the bidder, employment claims of employees of the bidder, third party claims arising due to infringement of intellectual property rights, death or personal injury attributable to acts or omission of bidder, violation of statutory and regulatory provisions including labour laws, laws related to information technology and intellectual property rights, breach of confidentiality obligations, breach of warranty, etc.

Indemnity would be limited to court or arbitration awarded damages and shall exclude indirect, consequential and incidental damages and compensation. Bidder shall indemnify NPCI, provided NPCI promptly notifies the Bidder in writing of such claims and the Bidder shall have the right to undertake the sole defense and control of any such claim.

#### 8.22 Bidder's Liability

The selected Bidder will be liable for all the deliverables.

The Bidder's aggregate liability in connection with obligations undertaken under the purchase order, regardless of the form or nature of the action giving rise to such liability (whether in contract, tort or otherwise), shall be at actual and limited to the value of the contract/purchase order.

The Bidder's liability in case of claims against NPCI resulting from willful and gross misconduct, or gross negligence, fraud of the Bidder, its employees, contractors and subcontractors, from infringement of patents, trademarks, and copyrights or other Intellectual Property Rights or breach of confidentiality obligations shall be unlimited.

### 8.23 Obligations of the Bidder

Standard of Performance: The Bidder shall perform the services and carry out their obligations with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment materials and methods. The Bidder shall always act in respect of any matter relating to this Contract or to the services as faithful advisor to NPCI and shall at all times support and safeguard NPCI's legitimate interests in any dealings with third parties.

Prohibition of Conflicting Activities: The Bidder shall not engage and shall cause their personnel not to engage in any business or professional activities that would come in conflict with the activities assigned to them under this RFP.

- 8.24 Exit option and contract re-negotiation
- a) NPCI reserves its right to cancel the order in the event of happening of one or more of the situations as mentioned in the "Order Cancellation" clause 8.26 herein under
- b) Notwithstanding the existence of a dispute, and/or the commencement of arbitration proceedings, the Bidder should continue to provide the facilities to NPCI at NPCI's locations.
- c) Reverse transition mechanism would be activated in the event of cancellation of the contract or exit by the bidders prior to expiry of time for awarding the final bid / the contract. The Bidder should perform a reverse transition mechanism to NPCI or its selected vendor. The reverse transition mechanism would facilitate an orderly transfer of services to NPCI or to an alternative 3rd party / vendor nominated by NPCI. Where NPCI elects to transfer the responsibility for service delivery to a number of vendors, NPCI will nominate a service provider who will be responsible for all dealings with the Bidder regarding the delivery of the reverse transition services.
- d) The reverse transition services to be provided by the Bidder shall include the following:
  - 1. The Bidder shall suitably and adequately train NPCI or its designated team for fully and effectively manning, operating the Devices.
  - 2. Bidder shall provide adequate documentation thereof.
  - 3. The Bidder shall jointly manage the Devices with NPCI or designated team for a reasonable period of time
- e) Knowledge Transfer: The Bidder shall provide such necessary information, documentation to NPCI or its designee, for the effective management and maintenance of the Deliverables under this RFP/Purchase Order/contract. Bidder shall provide documentation (in English) in electronic form where available or otherwise a single hardcopy of all existing procedures, policies and programs required for supporting the Services.

#### f) Warranties:

- 1. All the warranties held by or in the name of the bidder shall be assigned or transferred as-is, in the name of NPCI. The bidder shall execute any and all such documents as may be necessary in this regard.
- 2. The bidder shall return confidential information and will sign off and acknowledge the return of such confidential information.
- 3. The bidder shall provide all other services as may be agreed by the parties in connection with the reverse transition services. However, in case any other services, in addition to the above are needed, the same shall be scoped and priced.
- 4. The bidder recognizes that considering the enormity of the assignment, the transition services listed herein are only indicative in nature and the bidder agrees to provide all assistance and services required for fully and effectively transitioning the services provided by the bidder under the scope, upon termination or expiration thereof, for any reason whatsoever.
- g) The rates for availing services during reverse transition period would be the same as payable during the contract period for the respective services as contained and provided in this RFP.
- h) During which the existing Bidder would transfer all knowledge, know-how and other things necessary for NPCI or new bidder to take over and continue to manage the services. The Bidder agrees that the reverse transition mechanism and support during reverse transition will not be compromised or affected for reasons whatsoever is for cancellation.

- i) NPCI shall have the sole and absolute discretion to decide whether proper reverse transition mechanism over a period of 6 months, has been complied with. In the event of the conflict not being resolved, the conflict will be resolved through Arbitration.
- j) NPCI and the successful bidder shall together prepare the Reverse Transition Plan. However, NPCI shall have the sole decision to ascertain whether such Plan has been complied with.
- k) The Bidder agrees that in the event of cancellation or exit or expiry of the RFP/Purchase Order/contract it would extend all necessary support to NPCI or its selected vendors as would be required

#### 8.25 Extension of Contract

The bidder shall be required to consistently execute, in a successful and professional manner, the jobs assigned under this RFP or subsequent Purchase Order / Contract, as shall be entered by NPCI with the Bidder, to the satisfaction of and as decided by the NPCI up to a period of five (5) years (completion period) reckoned from the date of commencement of the services and may be extended for further period on satisfactory performance by bidder. However even in case, the bidder is not interested to extend the Contract for a further period, bidder shall be essentially required to execute the work at least for next 6 months period on the same rates and terms & conditions of the Contract. NPCI has right to alter (increase or decrease) the number of resources. NPCI has right to place repeat order to the bidder for any resources mentioned in the Contract. The contract shall be co-terminus with the Purchase orders issued unless extended by NPCI.

#### 8.26 Order Cancellation

NPCI reserves its right to cancel the order in the event of one or more of the following situations, that are not occasioned due to reasons solely and directly attributable to NPCI alone;

- i. Delay in delivery is beyond the specified period as set out in the Purchase Order before acceptance of the product; or,
- ii. Serious discrepancy in the quality of service expected.
- iii. If a Bidder makes any statement or encloses any form which turns out to be false, incorrect and/or misleading or information submitted by the bidder turns out to be incorrect and/or bidder conceals or suppresses material information.

In case of order cancellation, any payments made by NPCI to the Bidder for the particular service would necessarily have to be returned to NPCI with interest @ 15% per annum from the date of each such payment. Further the Bidder would also be required to compensate NPCI for any direct loss incurred by NPCI due to the cancellation of the Purchase Order and any additional expenditure to be incurred by NPCI to appoint any other Bidder. This is after repaying the original amount paid.

### 8.27 Termination of Purchase Order/Contract

For Convenience: NPCI, by written notice sent to Bidder, may terminate the Purchase Order/ contract in whole or in part at any time for its convenience giving three months prior notice. The notice of termination may specify that the termination is for convenience the extent to which Bidder's performance under the contract is terminated and the date upon which such termination become effective. NPCI shall consider request of the bidder for pro-rata payment till the date of termination.

For Insolvency: NPCI at any time may terminate the contract by giving written notice to Bidder, if Bidder becomes bankrupt or insolvent. In this event, termination will be without compensation to Bidder, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to NPCI.

For Non-Performance: NPCI reserves its right to terminate the contract in the event of Bidder's repeated failures (say more than 3 occasions in a calendar year to maintain the service level prescribed by NPCI).

#### 8.28 Effect of Termination

- The Bidder agrees that it shall not be relieved of its obligations under the reverse transition mechanism notwithstanding the termination of the assignment.
- Same terms (including payment terms) which were applicable during the term of the contract should be applicable for reverse transition services
- The Bidder agrees that after completion of the Term or upon earlier termination of the assignment the Bidder shall, if required by NPCI, continue to provide facility to NPCI at no less favorable terms than those contained in this RFP. In case NPCI wants to continue with the Bidder's facility after the completion of this contract then the Bidder shall offer the same terms to NPCI.
- NPCI shall make such prorated payment for services rendered by the Bidder and accepted by NPCI at the sole discretion of NPCI in the event of termination, provided that the Bidder is in compliance with its obligations till such date. However, no payment for "costs incurred, or irrevocably committed to, up to the effective date of such termination" will be admissible. There shall be no termination compensation payable to the Bidder.
- NPCI may make payments of undisputed amounts to the Bidder for services rendered till the effective date
  of termination. Termination shall be without prejudice to any other rights or remedies NPCI may be entitled
  to hereunder or at law and shall not affect any accrued rights or liabilities or either party nor the coming
  into force or continuation in force of any provision hereof which is expressly intended to come into force or
  continue in force on or after such termination.
- Upon cancellation of contract/completion of period of service, the Bidder should peacefully handover the legal possession of all the assets provided and obtains discharge from NPCI. NPCI also reserves the right to assign or allot or award the contract to any third party upon cancellation of the availed services.

### 8.29 Force Majeure

If either party is prevented, restricted, delayed or interfered by reason of: a) Fire, explosion, cyclone, floods, droughts, earthquakes, epidemics; b) War, revolution, acts of public enemies, blockage or embargo, riots and civil commotion; c) Any law, order, proclamation, ordinance or requirements of any Government or authority or representative of any such Government, including restrictive trade practices or regulations; d) Strikes, shutdowns or labor disputes which are not instigated for the purpose of avoiding obligations herein; Or e) Any other circumstances beyond the control of the party affected; then notwithstanding anything here before contained, the party affected shall be excused from its performance to the extent such performance relates to prevention, restriction, delay or interference and provided the party so affected used its best efforts to remove such cause of non-performances, and when removed the party shall continue performance with the utmost dispatch.

Each of the parties agrees to give written notice forthwith to the other upon becoming aware of an Event of Force Majeure, the said notice to contain details of the circumstances giving rise to the Event of Force Majeure. If the Event of Force Majeure shall continue for more than twenty (20) days either party shall be entitled to terminate the Agreement at any time thereafter without notice.

Notwithstanding the provisions of the RFP, the successful bidder or NPCI shall not be liable for penalty or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the RFP/Purchase Order/contract is the result of Force Majeure. For purposes of this clause, "Force Majeure" means an event beyond the control of the successful bidder and not involving NPCI or the successful bidder's fault or negligence and not foreseeable. Such events may include, but not restricted to wars, revolutions, epidemics, natural disasters etc.

If force majeure situation arises, the successful bidder shall promptly notify NPCI in writing of such condition and cause thereof. Unless otherwise directed by NPCI in writing, the successful shall continue to perform its obligations under contract as far as possible.

Neither party shall have any liability to the other in respect of the termination of this Agreement as a result of an Event of Force Majeure.

### 8.30 Resolution of Disputes

All disputes or differences between NPCI and the bidder shall be settled amicably. If, however, the parties are not able to resolve them, the same shall be settled by arbitration in accordance with the applicable Indian Laws, and the award made in pursuance thereof shall be binding on the parties. Any appeal will be subject to the exclusive jurisdiction of courts at Mumbai.

NPCI and the successful Bidder shall make every effort to resolve amicably by direct informal negotiation; any disagreement or dispute arising between them under or in connection with this RFP.

If, however, NPCI and successful Bidder are not able to resolve them, following dispute resolution mechanism shall be applied:

- 1. In case of Dispute or difference arising between NPCI and the successful Bidder relating to any matter arising out of or connected with this RFP, such disputes or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996. The arbitral tribunal shall consist of 3 arbitrators, one each to be appointed by NPCI and the successful Bidder. The third Arbitrator shall be chosen by mutual discussion between NPCI and the successful Bidder.
- 2. Arbitration proceedings shall be held at Mumbai, and the language of the arbitration proceedings and that of all documents and communications between the parties shall be English;
- 3. The decision of the majority of Arbitrators shall be final and binding upon NPCI and Successful Bidder. The cost and expenses of Arbitration proceedings will be paid as determined by mutual chosen third Arbitrator. However, the expenses incurred by each party in connection with the preparation, presentation, etc., of its proceedings as also the fees and expenses paid to the arbitrator appointed by such party or on its behalf shall be borne by each party itself; and
- 4. Where the value of the contract is Rs.1.00 Crore and below, the disputes or differences arising shall be referred to the Sole Arbitrator. The Sole Arbitrator should be appointed by mutual consent between the parties.
- 5. Any appeal will be subject to the exclusive jurisdiction of courts at Mumbai.

### 8.31 Compliance with Applicable Laws of India

The Bidder confirms to NPCI that it complies with all Central, State, Municipal laws and local laws and rules and regulations and shall undertake to observe, adhere to, abide by, comply with and notify NPCI about compliance with all laws in force including Information Technology Act 2000, or as are or as made applicable in future, pertaining to or applicable to them, their business, their employees or their obligations towards them and for all purposes of this RFP, and shall indemnify, keep indemnified, hold harmless, defend and protect NPCI and its officers/staff/personnel/representatives/agents from any failure or omission on its part to do so and against all claims or demands of liability and all consequences that may occur or arise for any default or failure on its part to conform or comply with the above and all other statutory obligations arising there from.

The Bidder shall promptly and timely obtain all such consents, permissions, approvals, licenses, etc., as may be necessary or required for any of the purposes of this RFP or for the conduct of their own business under any applicable Law, Government Regulation/Guidelines and shall keep the same valid and in force during the term of the RFP, and in the event of any failure or omission to do so, shall indemnify, keep indemnified, hold harmless, defend, protect and fully compensate NPCI and its employees/officers/staff/personnel/representatives/agents from and against all claims or demands of liability and all consequences that may occur or arise for any default or failure on its part to conform or comply with the above and all other statutory obligations arising there from.

### 8.32 Legal Compliances:

The Bidder confirms to NPCI that its personnel/ employees/staff are covered under the provision of various Acts enacted for the protection and benefits of workmen /employees /staff or otherwise such as Employees State Insurance Act and Employees Provident Fund Miscellaneous Provision Act etc. and such other Acts like

Profession Tax Act etc. as applicable and that Bidder is duly registered under the provisions of the said Acts and is complying with the provisions of the Acts.

The Bidder shall allow NPCI as well as regulatory authorities to verify books in so far as they relate to compliance with the provisions of these Acts and shall provide on demand by NPCI & regulatory authorities such documentary proof as may be necessary to confirm compliance in this regard. NPCI shall not be responsible in any event to the employees of Bidder for any of their outstanding claims or liability in that regard. NPCI shall not be responsible for any claim or demand made by such personnel for their dues outstanding against Bidder. Bidder indemnifies and shall keep NPCI indemnified from any of such claims/losses/ damages and demands by any of its personnel, if any, raised on NPCI.

### 8.33 Intellectual Property Rights:

All rights, title and interest of NPCI in and to the trade names, trademark, service marks, logos, products, copy rights and other intellectual property rights shall remain the exclusive property of NPCI and Bidder shall not be entitled to use the same without the express prior written consent of NPCI. Nothing in this RFP including any discoveries, improvements or inventions made upon with/by the use of the Bidder or its respectively employed resources pursuant to contract shall either vest or shall be construed so that to vest any proprietary rights to the Bidder. Notwithstanding, anything contained in this RFP, this clause shall survive indefinitely, even after termination of this Purchase Order.

#### 8.34 Applicable Law and Jurisdiction

Applicable Law: The Agreement shall be governed by and interpreted in accordance with the Indian Law. The jurisdiction and venue of any action with respect to the subject-matter of this Agreement shall be the Courts of Mumbai in India and each of the parties hereto submits itself to the exclusive jurisdiction and venue of such courts for the purpose of any such action.

### 8.35 Solicitation of Employees

Both NPCI & successful Bidder the Parties should agree not to hire, solicit, or accept solicitation (either directly, indirectly, or through a third party) for their employees directly involved in this during the period of the contract and one year thereafter, except as the parties may agree on a case-by-case basis. The parties should agree that for the period of the contract and one year thereafter, neither party will cause or permit any of its directors or employees who have knowledge to directly or indirectly solicit of this contract for employing the key personnel working on the project contemplated in this proposal except with the written consent of the other party. The above restriction would not apply to either party for hiring such key personnel who (i) initiate discussions regarding such employment without any direct or indirect solicitation by the other party (ii) respond to any public advertisement placed by either party or its affiliates in a publication of general circulation or (iii) has been terminated by a party prior to the commencement of employment discussions with the other party.

### 8.36 Facilities provided by NPCI:

NPCI shall provide seats, with required facilities like internet, intranet & LAN Connectivity free of cost for official work. These facilities shall not be used for any personal use. In case of any misuse of the facilities, penalty as deemed fit shall be imposed and recovered from the pending bills of Bidder.

### 8.37 No Damage of NPCI Property

Bidder shall ensure that there is no loss or damage to the property of NPCI while executing the Contract. In case, it is found that there is any such loss/damage due to direct negligence/non-performance of duty by any personnel, the amount of loss/damage so fixed by NPCI shall be recovered from Bidder.

### 8.38 Fraudulent and Corrupt Practice

"Fraudulent Practice" means a misrepresentation of facts in order to influence a procurement process or the execution of the project and includes collusive practice among Bidder's (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive the NPCI of the benefits of free and open competition.

"Corrupt Practice" means the offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official or a NPCI official in the process of project execution. NPCI will reject

a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing the project.

### 8.39 Governing Language

All correspondences and other documents pertaining to this Agreement shall be in English only.

8.40 Addresses for Notices
Following shall be address of NPCI and Bidder
NPCI address for notice purpose:
Managing Director& CEO
National Payments Corporation of India
1001A, B wing 10th Floor,
'The Capital', Bandra-Kurla Complex,
Bandra (East), Mumbai - 400 051
Supplier's address for notice purpose: (To be filled by supplier)

# Section 9 - Technical Specifications

Table 1	
Sr. No.	Specification
1	Centralised Authentication
2	No loss of packets due to interference in a dense wireless network
3	Automatically shift to adjacent access points if the load is high on particular access points
4	Automatic failover should happen at access points level & also Controller
5	Packets are encrypted end to end.
6	Wireless intrusion detection/prevention systems can identify and block
7	A)Ad-Hoc Network B) Dis-association of AP/Client to other network access points. C)Rogue access points detection & prevention D) Multiple failure attempts to connect to the wireless network/man in the middle attack. E) Honey Pot attacks F)DOS attacks etc
8	Secure VPN Tunnel
9	Bandwidth restriction per user/on group
10	Qos throughput traffic prioritization
11	High throughput, availability & Mobility
12	Wireless Intrusion Prevention System (WIPS) should be implemented

Table 2	Table 2			
Sr. No.	Specification			
A. Wifi (	Controller Specifications			
1	Must be compliant with IEEE CAPWAP or equivalent for controller-based WLANs.			
2	Should have at least 1 x MultiGigabit / 10 gigabit Ethernet interface along with $4x100/1000$ RJ45 BasteT ports.			
3	Controller should support minimum 3000 concurrent devices.			
4	WLAN controller should have scalability to support 150 Access points from day 1 without any hardware change.			
5	Controller Should be rack-mountable & dual power supply. Required accessories for rack mounting to be provided.			
6	WLAN controller should provide Application visibility with both traffic forwarding mode i.e when traffic coming to controller and when traffic moving locally from Ap to connected access switch. Admin should have option to create policies to allow or deny access based on applications.			
7	WLC should support AP License Migration from one WLC to another			
8	WLC Should support minimum 4000 VLANs			
9	WLC should support L2 and L3 roaming for IPv4 and IPv6 clients			
10	Controller should support automatic radio channel adjustments for intelligent channel switching and real-time interference detection.			
11	Cotroller Should support policy based forwarding to classify data traffic based on Access Control Lists (ACLs).			

To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Must support coverage hole detection and correction that can be adjusted on a per WLAN basis.  Must support RF Management with 40 MHz and 80 Mhz channels with 802.11n & 802.11ac  Must be able to restrict the number of logins per user.  Should provide visibility to Network airtime in order to set the airtime policy enforcement  WLC performance should remain the same if encryption is on or off for wireless SSIDs.  WLC Should support Rogue AP detection, classification and standard WIPS signatures.  Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  Must support user load balancing across Access Points.  Must support Lient roaming across Access Points.  Must support Lient roaming across controllers separated by a layer 3 routed boundary.  Must support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per-radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support AP location-based user access to control the locations where a wireless user can access the network.  WLC Shall support AP location-based user access to control the locations where a wireless user can access the network.	12	Controller Should support minimum 500 WLANs
Must support RF Management with 40 MHz and 80 Mhz channels with 802.11n & 802.11ac  Must be able to restrict the number of logins per user.  Should provide visibility to Network airtime in order to set the airtime policy enforcement  Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.  WLC performance should remain the same if encryption is on or off for wireless SSIDs.  WLC Should support Rogue AP detection, classification and standard WIPS signatures.  Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  Must support user load balancing across Access Points.  Must support client roaming across controllers separated by a layer 3 routed boundary.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per-radio, per-channel basis.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Controller should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  MLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	13	
Must be able to restrict the number of logins per user.  17 Should provide visibility to Network airtime in order to set the airtime policy enforcement  18 Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.  19 WLC performance should remain the same if encryption is on or off for wireless SSIDs.  20 WLC Should support Rogue AP detection, classification and standard WIPS signatures.  21 Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  22 Must support user load balancing across Access Points.  23 Must support client roaming across controllers separated by a layer 3 routed boundary.  24 Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  25 Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  26 Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  27 Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  28 To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  29 Should support IPv4 & IPv6  30 For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  31 Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  32 Should support MAC authentication to provide simple authentication based on a user's MAC address.  33 WLC should be able to exclude clients based on excessive/multiple authentication failure.  34 Should support AP location-based user access to control the locations where a wireless user can access the network  35 Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	14	Must support coverage hole detection and correction that can be adjusted on a per WLAN basis.
Should provide visibility to Network airtime in order to set the airtime policy enforcement  Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.  WLC performance should remain the same if encryption is on or off for wireless SSIDs.  WLC Should support Rogue AP detection, classification and standard WIPS signatures.  Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  Must support user load balancing across Access Points.  Must support client roaming across controllers separated by a layer 3 routed boundary.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	15	Must support RF Management with 40 MHz and 80 Mhz channels with 802.11n & 802.11ac
Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.  WLC performance should remain the same if encryption is on or off for wireless SSIDs.  WLC Should support Rogue AP detection, classification and standard WIPS signatures.  Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  Must support user load balancing across Access Points.  Must support client roaming across controllers separated by a layer 3 routed boundary.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	16	Must be able to restrict the number of logins per user.
WLC Should support Rogue AP detection, classification and standard WIPS signatures.  Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  Must support user load balancing across Access Points.  Must support client roaming across Access Points.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  Odeliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	17	Should provide visibility to Network airtime in order to set the airtime policy enforcement
WLC Should support Rogue AP detection, classification and standard WIPS signatures.  Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  Must support user load balancing across Access Points.  Must support client roaming across controllers separated by a layer 3 routed boundary.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	18	Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.
Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.  Must support user load balancing across Access Points.  Must support client roaming across controllers separated by a layer 3 routed boundary.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per-radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	19	WLC performance should remain the same if encryption is on or off for wireless SSIDs.
Must support user load balancing across Access Points.  Must support client roaming across controllers separated by a layer 3 routed boundary.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per-radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	20	WLC Should support Rogue AP detection, classification and standard WIPS signatures.
Must support client roaming across controllers separated by a layer 3 routed boundary.  Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	21	Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.
Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent  Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	22	Must support user load balancing across Access Points.
Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.  Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	23	Must support client roaming across controllers separated by a layer 3 routed boundary.
Should provide real-time charts/log showing interferers per access point, on a per- radio, per-channel basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	24	Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent
basis.  Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	25	Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.
preferential quality-of-service treatment.  To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	26	
Wireless Controller.  Should support IPv4 & IPv6  For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	27	
For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	28	
bidder should offer/quote WLC & WAPs of the same make (OEM).  Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	29	Should support IPv4 & IPv6
analyses information about applications usage, peak network usage times for all access points from day one  Should support MAC authentication to provide simple authentication based on a user's MAC address.  WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	30	
WLC should be able to exclude clients based on excessive/multiple authentication failure.  Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	31	analyses information about applications usage, peak network usage times for all access points from
Should support AP location-based user access to control the locations where a wireless user can access the network  Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	32	Should support MAC authentication to provide simple authentication based on a user's MAC address.
access the network  35 Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	33	WLC should be able to exclude clients based on excessive/multiple authentication failure.
· · ·	34	
36 WLC Shall support WIDS/WIPS, and spectral analysis from day 1.	35	Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.
	36	WLC Shall support WIDS/WIPS, and spectral analysis from day 1.

37	WLC should detect if someone connect a Rogue Acess Point in network and able to take appropriate action to contain rogue Acess point.	
38	WLC should detect and protect an Ad-hoc connection when a connected user forming a network with other system without an AP or try enabling bridging between two interface	
39	WLC should detect if a user try to impersonate a management frame.	
40	WLC should detect and take appropriate containment action if a smartphone user using tethering to connect other device.	
41	WLC should detect and protect if a user try to spoof mac address of valid client or AP for unauthorized acess/authentication.	
42	WLC should detect if a user trying to do internet sharing through a valid system to an unauthorized device.	
43	Should support SNMPv3, SSHv2 and SSL for secure management.	
44	Should support encrypted mechanisum to securely upload/download software image to and from Wireless controller.	
45	Should provide visibility between a wired and wireless network using IEEE 802.1AB Link Layer Discovery Protocol (LLDP) and sFlow/equivalent.	
46	Should support AP Plug and Play (PnP) deployment with zero-configuration capability	
47	Should support AP grouping to enable administrator to easily apply AP-based or radio-based configurations to all the APs in the same group	
48	Should support selective firmware upgrade APs, typically to a group of APs minimize the impact of up-gradation	
49	Should have a suitable serial console port.	
50	Should support Public Key Infrastructure (PKI) to control access	
51	Should have Voice and Video Call Admission and Stream prioritization for preferential QOS	
52	Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one with different traffic forwarding modes i.e central switching with WLC and local switching when traffic move locally from AP to connected switch.	
53	Should be able to do application visibility for application running behind HTTP proxy.	
54	Support profiling of wireless devices based on known protocols like http and dhcp to identify clients	
55	Should support visibily and control based on the type of applications	
56	OEM Support:- 24x7x5 for 5 years	
B. Wifi Access Point Specifications		
1	Access Points proposed must include radios for 2.4 GHz and 5 GHz with 802.11ac Wave 2.	
2	An access point must include a standard OEM provided Mounting brackets for mounting on Celing or Roof top.	
3	Access Point shall support Console port that uses Standard Port (RJ-45) type connection	
4	Should have two RJ-45 auto-sensing 10/100/1000 Mbps LAN port .	

5	Access Point should have USB port for future requirement.
6	Must have at least 3 dBi Antenna gain on each radios
7	Must support 4x4 MIMO for both 802.11ac and 802.11n client
8	Must provide dynamic dual 5 ghz radio mode for high density requirement from day 1.
9	Must Support minimum aggregate data rate of 4 Gbps on dual 5ghz mode with 160 mhz channel support and standard 256 QAM modulation.
10	Must support minimum of 22dbm of transmit power in both 2.4Ghz and 5Ghz radios. And should follow the local regulatory Norms.
11	Must support AP enforce load-balance between 2.4Ghz and 5Ghz band.
12	Must incorporate radio resource management for power, channel and performance optimization
13	Must have -97 dB or better Receiver Sensitivity.
14	Must support Proactive Key Caching and/or other methods for Fast Secure Roaming.
15	Must support Management Frame Protection.
16	Should support locally-significant certificates on the APs using a Public Key Infrastructure (PKI).
17	Access Points must support Hardware-based encrypted user data and management traffic between controller and Access point for better security.
18	Must support the ability to serve clients and monitor the RF environment concurrently.
19	Same model AP that serves clients must be able to be dedicated to monitoring the RF environment.
20	Must be plenum-rated (UL2043).
21	Must support 16 WLANs per AP for SSID deployment flexibility.
22	Access Point Must continue serving clients when link to controller is down. It should also have option to authenticate user through Radius server directly from Access Point during link unavailability to controller.
23	Must support telnet and/or SSH login to APs directly for troubleshooting flexibility.
24	Must support Power over Ethernet and power injectors must be supplied with AP from day one
25	802.11e and WMM
26	Must support Reliable Multicast to Unicast conversion to maintain video quality at AP level
27	Must support QoS and Video Call Admission Control capabilities.
28	Access Point should 802.11 DFS certified
29	AP model proposed must be able to be both a client-serving AP and a monitor-only AP for Intrusion Prevention services
30	Access Point can have integrated or external Antenna.
31	Access point should have option of external power adaptor as well.
32	OEM Support:- 8x5xNBD for 5 years

Sr. No.	Criteria
1	OEM should have registered hardware spare depots at least 24 numbers in India covering major cities.
2	OEM should have presence in India at least from last 10 years and making no loses in Networking business in last 5 years. Also, proposed should not have been acquired in last 3 years
3	The OEM should have certified partner in the city of the tender /customer
4	OEM must be ISO Certified in Networking Business in terms of operations, Services & Support
5	The OEM of active network devices to be quoted by the bidder should have local Technical Assistance Centre (TAC) support in India through a toll free number and Returned Materials Authorization (RMA) depot in India. Where customer can directly log a complaint against any failure.
6	The OEM should have done at least 3 WLAN deployments with more than 100 Aps deployment in BFSI segment within INDIA. The SI/OEM should provide Client Certificate regarding the same with the name of signatory and his details.

### Section 10 - Documents forms to be put in Envelope A

#### Annexure A1 - Bidder's Letter for EMD

To

Seal: Date:

**Business Address:** 

The Chief Executive Officer
National Payments Corporation of India,
1001A, B wing 10th Floor,
'The Capital', Bandra-Kurla Complex,
Bandra (East), Mumbai - 400 051

Subject: RFP # NPCI/RFP/2018-19/IT/16 dated 13.02.2019 for "Request for Proposal for procurement of Wi-Fi Equipment".

We have enclosed an EMD in the form of a Demand Draft No.\_\_\_\_\_ issued by the branch of the \_\_\_\_\_\_Bank, for the sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_\_). This EMD is as required by clause 5.7 of the Instructions to Bidders of the above referred RFP.

Thanking you,
Yours faithfully,

(Signature of the Bidder)
Printed Name:
Designation:

# Annexure A2 - Bid Security (Bank Guarantee)

[Bank's Name, and Address of Issuing Branch or Office]
National Payments Corporation of India:
Date:
BID GUARANTEE No.:
We have been informed that (hereinafter called "the Bidder") has submitted to you its bid dated (hereinafter called "the Bid") for the execution ofunder RFP No.
Furthermore, we understand that, according to your conditions, bids must be supported by a bank guarantee.
At the request of the Bidder, we hereby irrevocably undertake to pay you without any demur or protest, any sum or sums not exceeding in total an amount of Rs/-(Rupees only) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:
(a) Has withdrawn its Bid during the period of bid validity specified by the Bidder in the Form of Bid; or
(b) having been notified of the acceptance of its Bid by NPCI during the period of bid validity, (i) fails or refuses to execute the Contract document; or (ii) fails or refuses to furnish the performance security, if required, in accordance with the Instructions to Bidders.
This guarantee will expire:
(a) If the Bidder is the successful bidder, upon our receipt of copies of the contract signed by the Bidder and the performance security issued to you upon the instruction of the Bidder; or
(b) if the Bidder is not the successful bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder of the name of the successful bidder; or (ii) twelve months after the expiration of the Bidder's Bid.
Consequently, any demand for payment under this guarantee must be received by us at the Office on or before that date.

# Annexure A3 - Bid Security

# (PERFORMANCE BANK GUARANTEE FORMAT)

Bandra (East), Mumbai - 400 051
Performance Bank Guarantee No: We have been informed that( hereinafter called "the Supplier") has received the purchase order no. "" dated issued by National Payments Corporation of India (NPCI), for
Furthermore, we understand that, according to the conditions of the Purchase order, a Performance Bank Guarantee is required to be submitted by the Supplier to NPCI.  At the request of the Supplier, We(name of the Bank, the details of its incorporation) having its registered office at and, for the purposes of this Guarantee and place where claims are payable, acting through its branch presently situated at (hereinafter referred to as "Bank" which term shall mean and include, unless repugnant to the context or meaning thereof, its successors and permitted assigns), hereby irrevocably undertake to pay you without any demur or objection any sum(s) not exceeding in total an amount of Rs (in figures) (Rupees(in words) only) upon receipt by us of your first demand in writing declaring the Supplier to be in default under the purchase order, without caveat or argument, or your needing to prove or to show grounds or reasons for your demand or the sum specified therein.
Please note that you may, if you so require, independently seek confirmation with -(Bank Name & Issuing branch address), that this Bank Guarantee has been duly and validly issued.
Notwithstanding anything contained in the foregoing:  The liability of (Bank), under this Bank Guarantee is restricted to a maximum total amount of Rs (Amount in figures and words).  This bank guarantee is valid upto  The liability of (Bank), under this Bank Guarantee is finally discharged if no claim is made on behalf of NPCI within twelve months from the date of the expiry of the validity period of this Bank Guarantee.  Our liability pursuant to this Bank Guarantee is conditional upon the receipt of a valid and duly executed written claim or demand, by (Bank) (Address), delivered by hand, courier or registered post, or by fax prior to close of banking business hours on
This Bank Guarantee shall be governed by and construed in accordance with the laws of India and competent courts in the city of Mumbai shall have exclusive jurisdiction.
Kindly return the original of this Bank Guarantee to

{Signature of the Authorized representatives of the Bank}

#### Annexure B - Bid Offer Form (without Price)

(Bidder's Letter Head)

#### **OFFER LETTER**

Date:

To

The Chief Executive Officer National Payments Corporation of India 1001A, B wing 10th Floor, 'The Capital', Bandra-Kurla Complex, Bandra (East), Mumbai - 400 051

Dear Sir,

Subject: RFP No. NPCI/RFP/2018-19/IT/16 dated 13.02.2019 for "Request for Proposal for procurement of Wi-Fi Equipment".

We have examined the above referred RFP document. As per the terms and conditions specified in the RFP document, and in accordance with the schedule of prices indicated in the commercial bid and made part of this offer.

We acknowledge having received the following addenda / corrigenda to the RFP document.

Addendum No. / Corrigendum No.	Dated

While submitting this bid, we certify that:

- 1. Prices have been quoted in INR.
- 2. The prices in the bid have not been disclosed and will not be disclosed to any other bidder of this RFP.
- 3. We have not induced nor attempted to induce any other bidder to submit or not submit a bid for restricting competition.
- 4. We agree that the rates / quotes, terms and conditions furnished in this RFP are for NPCI and its Associates.

If our offer is accepted, we undertake, to start the assignment under the scope immediately after receipt of your order. We have taken note of Penalty clauses in the RFP and agree to abide by the same. We also note that NPCI reserves the right to cancel the order and order cancellation clause as per terms and condition would be applicable. We understand that for delays not attributable to us or on account of uncontrollable circumstances, penalties will not be levied and that the decision of NPCI will be final and binding on us.

We agree to abide by this offer till 180 days from the last date stipulated by NPCI for submission of bid, and our offer shall remain binding upon us and may be accepted by NPCI any time before the expiry of that period.

Until a formal contract is prepared and executed with the selected bidder, this offer will be binding on us. We also certify that the information/data/particulars furnished in our bid are factually correct. We also accept that in the event of any information / data / particulars are found to be incorrect, NPCI will have the right to disqualify /blacklist us and forfeit bid security.

We undertake to comply with the terms and conditions of the bid document. We understand that NPCI may reject any or all of the offers without assigning any reason whatsoever.

As security (EMD) for the due performance and obsessibility therewith Demand Draft bearing noCorporation of India" or Bank Guarantee valid for at Mumbai.	_dated	drawn in favoi	r of "Natio	nal Payments
Yours sincerely,				
Authorized Signature [In full and initials]:				
Name and Title of Signatory:				
Name of Company/Firm:				
Address				

### Annexure C - Bidder Information

(Bidder's Letter Head)

	of the Bidder		
Name of the Bidder			
Address of the Bidder			
Constitution of the Company (Public Ltd/ Pvt Ltd)			
Details of Incorporation of the Company.	Date:		
Valid Sales tax registration no.	Rei#		
Valid Service tax registration no.			
Permanent Account Number (PAN)			
Goods & Services Tax (GST) Registration Numbers			
City			
State			
Pin Code / State Code			
GSTIN Number			
HSN Number			
Name & Designation of the contact person to whom all references shall be made regarding this tender			
Telephone No. (Cell # and Landline # with STD Code)			
E-Mail of the contact person:			
Fax No. (with STD Code)			
Website			
Financial Details (as per a	audited Balance Sheets	) (in Cr)	
Year	2015-16	2016-17	2017-18
Net worth			
Turn Over			
PAT			
	Address of the Bidder  Constitution of the Company (Public Ltd/ Pvt Ltd)  Details of Incorporation of the Company.  Valid Sales tax registration no.  Valid Service tax registration no.  Permanent Account Number (PAN)  Goods & Services Tax (GST) Registration Numbers  City  State  Pin Code / State Code  GSTIN Number  HSN Number  Name & Designation of the contact person to whom all references shall be made regarding this tender  Telephone No. (Cell # and Landline # with STD Code)  E-Mail of the contact person: Fax No. (with STD Code)  Website  Financial Details (as per a Year  Net worth  Turn Over	Address of the Bidder  Constitution of the Company (Public Ltd/ Pvt Ltd)  Details of Incorporation of the Company.  Date: Ref#  Valid Sales tax registration no.  Valid Service tax registration no.  Permanent Account Number (PAN)  Goods & Services Tax (GST) Registration Numbers  City  State  Pin Code / State Code  GSTIN Number  HSN Number  Name & Designation of the contact person to whom all references shall be made regarding this tender  Telephone No. (Cell # and Landline # with STD Code)  E-Mail of the contact person: Fax No. (with STD Code)  Website  Financial Details (as per audited Balance Sheets Year  Net worth  Turn Over	Address of the Bidder  Constitution of the Company (Public Ltd/ Pvt Ltd)  Details of Incorporation of the Company.  Date: Ref#  Valid Sales tax registration no.  Valid Service tax registration no.  Permanent Account Number (PAN)  Goods & Services Tax (GST) Registration Numbers  City  State  Pin Code / State Code  GSTIN Number  HSN Number  HSN Number  Name & Designation of the contact person to whom all references shall be made regarding this tender  Telephone No. (Cell # and Landline # with STD Code)  E-Mail of the contact person: Fax No. (with STD Code)  Website  Financial Details (as per audited Balance Sheets) (in Cr)  Year  Audress of the Company (Public Ltd/ Pvt Ref#  Date: Ref#  Ref#  Date: Ref#  Ref#  Pinate: Ref#  Pate: Ref#  Pinate: Ref#

#### Annexure D - Declaration for Clean Track Record

(Bidder's Letter Head)

To

The Chief Executive Officer National Payments Corporation of India 1001A, B wing 10th Floor, 'The Capital', Bandra-Kurla Complex, Bandra (East), Mumbai - 400 051

Sir,

I have carefully gone through the Terms & Conditions contained in the RFP document for selection of vendor for Request for Proposal for procurement of Wi-Fi Equipment - RFP No. NPCI/RFP/2018-19/IT/16 dated 13.02.2019. I hereby declare that my company has not been debarred/black listed by any Government / Semi Government / Private organizations in India / abroad. I further certify that I am competent officer and duly authorized by my company to make this declaration.

Yours faithfully,

### Annexure E - Declaration for Acceptance of RFP Terms and Conditions

(Bidder's Letter Head)

#### To

The Chief Executive Officer National Payments Corporation of India 1001A, B wing 10th Floor, 'The Capital', Bandra-Kurla Complex, Bandra (East), Mumbai - 400 051

Dear Sir,

I have carefully gone through the Terms & Conditions contained in the RFP document for selection of vendor for Request for Proposal for procurement of Wi-Fi Equipment - RFP No. NPCI/RFP/2018-19/IT/16 dated 13.02.2019. I declare that all the provisions of this RFP/Tender Document are acceptable to my company. I further certify that I am an authorized signatory of my company and am, therefore, competent to make this declaration.

Yours faithfully,

### Annexure F - Declaration for Acceptance of Scope of Work

(Bidder's Letter Head)

To

The Chief Executive Officer National Payments Corporation of India 1001A, B wing 10th Floor, 'The Capital', Bandra-Kurla Complex, Bandra (East), Mumbai - 400 051

Sir,

I have carefully gone through the Scope of Work contained in the RFP document for selection of vendor for Request for Proposal for procurement of Wi-Fi Equipment - RFP No. NPCI/RFP/2018-19/IT/16 dated 13.02.2019. I declare that all the provisions of this RFP / Tender Document are acceptable to my company. I further certify that I am an authorized signatory of my company and am, therefore, competent to make this declaration.

Yours faithfully,

# Annexure G - Format Power of Attorney

(On Stamp paper of relevant value)

Know all men by the present, we
Dated this day of 2019. For
(Signature)
(Name Designation and Address)
Accepted
(Signature) (Name Designation)

**Business Address:** 

# Annexure H - Eligibility Criteria Compliance

(Bidder's Letter Head)

Sr.No	Eligibility Criteria	Compliance Yes/No	Documentary proof to be attached
1	<ul> <li>The bidder is a Company registered under the Companies Act/Partnership / LLP at least since last three years.</li> <li>a. In case the bidder is the result of a merger / acquisition, at least one of the merging companies should have been in operation for at least 3 years as on date of submission of the bid.</li> <li>b. In case the bidder is the result of a demerger / hiving off, at least one of the demerged company or resulting company should have been in operation for at least 3 years as on the date of submission of bid.</li> </ul>		Documentary Proof should be submitted
2	The bidder should have reported minimum annual turnover of Rs. 5 Cr as per audited financial statements in each of the last three financial years (i.e., 2015-2016, 2016-2017 & 2017-2018) and should have reported profits (profit after tax) as per audited financial statements in at least two of last three financial years (i.e., 2015-2016, 2016-2017 & 2017-2018). In case audited financial statements for 2017-2018 are not ready, then management certified financial statement shall be considered for 2017-2018, however, this exception is not available in case of previous financial years. In case of a JV / Consortium / Strategic partnership, the bidder should have reported profits as per above criteria.  a. In case the bidder is the result of a merger / acquisition, due consideration shall be given to the past financial results of the merging entity for the purpose of determining the net worth, minimum annual turnover and profit after tax for the purpose of meeting the eligibility criteria; should the bidder be in operation for a period of less than 3 years. For this purpose, the decision of NPCI will be treated as final and no further correspondence will be entertained on this.  b. In case the bidder is the result of a demerger / hiving off, due consideration shall be given to the past financial results of the demerged company for the purpose of determining the net worth, minimum annual turnover and profit after tax for the purpose of meeting the eligibility criteria; should the bidder be in operation for a period of less than 3 years. For this purpose, the decision of NPCI will be treated as final and no further correspondence will be entertained on this.		Standalone financial Audited balance sheets & Profit /loss statement, Statutory Auditor's Report, Notes to Accounts and Schedules forming part of accounts to be submitted.
3	The bidder should be authorized to quote for the OEM products and support. Further, the bidder shall submit the declaration stating that bidder will not remain associated with this RFP in any other capacity as a part of distribution channel provided such bidder has become eligible for commercial evaluation as per this RFP.		1. Declaration from OEM 2. Self-declaration of not being part of distribution channel
4	The bidder should not be currently blacklisted by any bank / institution in India or abroad.		Self-Declaration as per Annexure D on company letter head

### Annexure I - OEM / Manufacturer's Authorization Letter

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include it in its bid]

Date:
То:
WHEREAS
We, are official manufacturers/OEM vendors of We do hereby authorize M/S to submit a bid the purpose of which is to provide the following Goods, manufactured by us, and to subsequently negotiate and sign the Contract.
We hereby extend our full guarantee and warranty, with respect to the Goods offered by the above firm.
Signed by the Manufacturer/OEM Vendor:
Name:
Title:
Seal:
Dated on day of,

# Section 11 - Documents to be put in Envelope 'B'

(Bidder's Letter Head)

# Annexure K - Technical Compliance

Table 1		
Sr. No.	Specification	Compliance Yes/No
1	Centralised Authentication	
2	No loss of packets due to interference in a dense wireless network	
3	Automatically shift to adjacent access points if the load is high on particular access points	
4	Automatic failover should happen at access points level & also Controller	
5	Packets are encrypted end to end.	
6	Wireless intrusion detection/prevention systems can identify and block	
7	A)Ad-Hoc Network B) Dis-association of AP/Client to other network access points. C)Rogue access points detection & prevention D) Multiple failure attempts to connect to the wireless network/man in the middle attack. E) Honey Pot attacks F)DOS attacks etc	
8	Secure VPN Tunnel	
9	Bandwidth restriction per user/on group	
10	Qos throughput traffic prioritization	
11	High throughput, availability & Mobility	
12	Wireless Intrusion Prevention System (WIPS) should be implemented	

Table 2		
Sr.No.	Specifications	Compliance Yes/No
A. Wifi	Controller	
1	Must be compliant with IEEE CAPWAP or equivalent for controller-based WLANs.	
2	Should have atleast 1 x MultiGigabit/ 10 gigabit Ethernet interface along with 4x100/1000 RJ45 Baste-T ports.	
3	Controller should support minimum 3000 concurrent devices.	
4	WLAN controller should have scalability to support 150 Access points from day 1 without any hardware change.	
5	Controller Should be rack-mountable & dual power supply. Required accessories for rack mounting to be provided.	
6	WLAN controller should provide Application visibility with both traffic forwarding mode i.e when traffic coming to controller and when traffic moving locally from Ap to connected access switch. Admin should have option to create policies to allow or deny access based on applications.	
7	WLC should support AP License Migration from one WLC to another	

8	WLC Should support minimum 4000 VLANs	
9	WLC should support L2 and L3 roaming for IPv4 and IPv6 clients	
10	Controller should support automatic radio channel adjustments for intelligent channel switching and real-time interference detection.	
11	Cotroller Should support policy based forwarding to classify data traffic based on Access Control Lists (ACLs).	
12	Controller Should support minimum 500 WLANs	
13	To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.	
14	Must support coverage hole detection and correction that can be adjusted on a per WLAN basis.	
15	Must support RF Management with 40 MHz and 80 Mhz channels with 802.11n & 802.11ac	
16	Must be able to restrict the number of logins per user.	
17	Should provide visibility to Network airtime in order to set the airtime policy enforcement	
18	Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.	
19	WLC performance should remain the same if encryption is on or off for wireless SSIDs.	
20	WLC Should support Rogue AP detection, classification and standard WIPS signatures.	
21	Should be able to set a maximum per-user bandwidth limit on a per-SSID basis.	
22	Must support user load balancing across Access Points.	
23	Must support client roaming across controllers separated by a layer 3 routed boundary.	
24	Must support AP over-the-air packet capture for export to a tool such as Wireshark/equivalent	
25	Shall support the ability to classify over 20 different types of interference within 5 to 30 seconds.	
26	Should provide real-time charts/log showing interferers per access point, on a perradio, per-channel basis.	
27	Support for configuring media streams with different priority to identify specific video streams for preferential quality-of-service treatment.	
28	To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.	
29	Should support IPv4 & IPv6	
30	For smooth, seamless and easy manageability, operation, interoperability and maintenance, the bidder should offer/quote WLC & WAPs of the same make (OEM).	
31	Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one	
32	Should support MAC authentication to provide simple authentication based on a user's MAC address.	

33	WLC should be able to exclude clients based on excessive/multiple authentication failure.	
34	Should support AP location-based user access to control the locations where a wireless user can access the network	
35	Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.	
36	WLC Shall support WIDS/WIPS, and spectral analysis from day 1.	
37	WLC should detect if someone connect a Rogue Acess Point in network and able to take appropriate action to contain rogue Acess point.	
38	WLC should detect and protect an Ad-hoc connection when a connected user forming a network with other system without an AP or try enabling bridging between two interface	
39	WLC should detect if a user try to impersonate a management frame.	
40	WLC should detect and take appropriate containment action if a smartphone user using tethering to connect other device.	
41	WLC should detect and protect if a user try to spoof mac address of valid client or AP for unauthorized acess/authentication.	
42	WLC should detect if a user trying to do internet sharing through a valid system to an unauthorized device.	
43	Should support SNMPv3, SSHv2 and SSL for secure management.	
44	Should support encrypted mechanisum to securely upload/download software image to and from Wireless controller.	
45	Should provide visibility between a wired and wireless network using IEEE 802.1AB Link Layer Discovery Protocol (LLDP) and sFlow/equivalent.	
46	Should support AP Plug and Play (PnP) deployment with zero-configuration capability	
47	Should support AP grouping to enable administrator to easily apply AP-based or radio-based configurations to all the APs in the same group	
48	Should support selective firmware upgrade APs, typically to a group of APs minimize the impact of up-gradation	
49	Should have a suitable serial console port.	
50	Should support Public Key Infrastructure (PKI) to control access	
51	Should have Voice and Video Call Admission and Stream prioritization for preferential QOS	
52	Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one with different traffic forwarding modes i.e central switching with WLC and local switching when traffic move locally from AP to connected switch.	
53	Should be able to do application visibility for application running behind HTTP proxy.	
54	Support profiling of wireless devices based on known protocols like http and dhcp to identify clients	
55	Should support visibily and control based on the type of applications	
56	OEM Support:- 24x7x5 for 5 years	

	B. Wifi Access Point Specifications	
1	Access Points proposed must include radios for 2.4 GHz and 5 GHz with 802.11ac Wave 2.	
2	An access point must include a standard OEM provided Mounting brackets for mounting on Celing or Roof top.	
3	Access Point shall support Console port that uses Standard Port (RJ-45) type connection	
4	Should have two RJ-45 auto-sensing 10/100/1000 Mbps LAN port .	
5	Access Point should have USB port for future requirement.	
6	Must have atleast 3 dBi Antenna gain on each radios	
7	Must support 4x4 MIMO for both 802.11ac and 802.11n client	
8	Must provide dynamic dual 5 ghz radio mode for high density requirement from day 1.	
9	Must Support minimum aggregate data rate of 4 Gbps on dual 5ghz mode with 160 mhz channel support and standard 256 QAM modulation.	
10	Must support minimum of 22dbm of transmit power in both 2.4Ghz and 5Ghz radios. And should follow the local regulatory Norms.	
11	Must support AP enforced load-balance between 2.4Ghz and 5Ghz band.	
12	Must incorporate radio resource management for power, channel and performance optimization	
13	Must have -97 dB or better Receiver Sensitivity.	
14	Must support Proactive Key Caching and/or other methods for Fast Secure Roaming.	
15	Must support Management Frame Protection.	
16	Should support locally-significant certificates on the APs using a Public Key Infrastructure (PKI).	
17	Access Points must support Hardware-based encrypted user data and management traffic between controller and Access point for better security.	
18	Must support the ability to serve clients and monitor the RF environment concurrently.	
19	Same model AP that serves clients must be able to be dedicated to monitoring the RF environment.	
20	Must be plenum-rated (UL2043).	
21	Must support 16 WLANs per AP for SSID deployment flexibility.	
22	Access Point Must continue serving clients when link to controller is down. It should also have option to authenticate user through Radius server directly from Access Point during link unavailability to controller.	
23	Must support telnet and/or SSH login to APs directly for troubleshooting flexibility.	
24	Must support Power over Ethernet and power injectors must be supplied with AP from day one	
25	802.11e and WMM	
26	Must support Reliable Multicast to Unicast conversion to maintain video quality at AP level	

27	Must support QoS and Video Call Admission Control capabilities.	
28	Access Point should 802.11 DFS certified	
29	AP model proposed must be able to be both a client-serving AP and a monitor-only AP for Intrusion Prevention services	
30	Access Point can have integrated or external Antenna.	
31	Access point should have option of external power adaptor as well.	
32	OEM Support:- 8x5xNBD for 5 years	

The bidder is required to provide exhaustive list of the	hardware, software, etc. to implement the project.
Dated this	
(Signature)	
(Name) Duly authorized to sign Bid for and on behalf of	(In the capacity of)

### Annexure O - Client Reference (Bidder's Letter Head)

# NPCI/RFP/2018-19/IT/16 dated 13.02.2019

Sr.No	Particulars	Details
1	Name of the Organization	
2	Contact Person Name and Designation	
3	Phone Number of the Contact person	
4	Email Address of the Contact person	

(Signature)
-------------

(Name) (In the capacity of)

Duly authorized to sign Bid for and on behalf of

# Section 12 - Documents to be put in Envelope 'C'

### Annexure M - Indicative Commercial Bid Form

(Bidder's Letter Head)

(To be included in Commercial Bid Envelope)

То
NPCI
Dear Sirs,
Re: RFP No. NPCI/RFP/2018-19/IT/16 dated 13.02.2019 for "Request for Proposal for procurement of Wi-Fi Equipment".
Having examined the Bidding Documents placed along with RFP, we, the undersigned, offer to provide the required infrastructure in conformity with the said Bidding documents for the sum of Rs(Rupees) (exclusive of taxes) or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.
We undertake, if our Bid is accepted, to provide for the above purpose within the stipulated time schedule. We agree to abide by the Bid and the rates quoted therein for the orders awarded by NPCI up to the period prescribed in the Bid which shall remain binding upon us. Until a formal contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.
We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in India.
We have complied with all the terms and conditions of the RFP. We understand that you are not bound to accept the lowest or any Bid you may receive.
Dated this Day of2019
(Signature)
(Name) (In the capacity of)
Duly authorized to sign Bid for and on behalf of

# Annexure N - Commercial Bid (Indicative) NPCI/RFP/2018-19/IT/16 dated 13.02.2019

RFP for procurement of Wi-Fi Equipment (Bidder's Letter Head)

### Table A:

Commercial Bid of Wi-Fi Infrastructure						
Sr No	Features	Total Qty (a)	Unit Cost (b) (Rs)	Total Cost (c.= a*b) (Rs)		
Α	Central Infrastructure with 3 year warranty					
1	Wi-Fi Controller(Hardware & Software) at Hyderabad DC	1				
2	Wi-Fi Controllers (Hardware & Software) at Chennai DC	1				
3	Wi-Fi Access Points(Hardware & Software) at Goregaon office	23				
4	Wi-Fi Access Points(Hardware & Software) at BKC office	9				
5	Wi-Fi Access Points(Hardware & Software) at Chennai office	13				
6	Wi-Fi Access Points(Hardware & Software) at Chennai DC	15				
7	Wi-Fi Access Points(Hardware & Software) at Hyderabad ICICI office	6				
8	Wi-Fi Access Points(Hardware & Software) at Hyderabad DC office	10				
	Total A					

# Table B:

# **Implementation Cost:**

	Commercial Bid of Wi-Fi Infrastructure					
Sr.No	Features	One Time Cost				
1	Implementation cost of Centralized Wi-Fi Controllers(02)					
2	Implementation cost of Integration with all Access Points(76)					
	Total B					

### Table C:

### **AMC/Support**

Sr.No	Description	Qty	Unit Cost	4 <sup>th</sup> Year AMC	5 <sup>th</sup> Year AMC	Total
1	Wi-Fi Controller (Hardware & Software) at Hyderabad DC	1				
2	Wi-Fi Controllers (Hardware & Software) at Chennai DC	1				
3	Wi-Fi Access Points (Hardware & Software) at Goregaon office	23				
4	Wi-Fi Access Points(Hardware & Software) at BKC office	9				
5	Wi-Fi Access Points(Hardware & Software) at Chennai office	13				
6	Wi-Fi Access Points(Hardware & Software) at Chennai DC	15				
7	Wi-Fi Access Points(Hardware & Software) at Hyderabad ICICI office	6				
8	Wi-Fi Access Points(Hardware & Software) at Hyderabad DC office	10				
	Grand Total - C (4 <sup>th</sup> Year+5 <sup>th</sup> Year)					

- Delivery Location: (as per clause 8.8 of the RFP)
- Hardware: AMC cost should not be less than 8% of the cost of hardware
- The bidder shall meet the requirements of Goods & Services Tax (GST)

(Total Cost of Ownership) TCO = (A + B + C)

(Amount in Rs)
All prices are exclusive of taxes.

Dated this...... Day of......2019

(Signature)
(Name)
(In the capacity of)
Duly authorized to sign Bid for and on behalf of

### Annexure - L Bill of Material

### NPCI/RFP/2018-19/IT/16 dated 13.02.2019 (Bidder's Letter head)

Line Item Wise Prices (Details of all line items of the Commercial Bid, including AMC charges)

Line Item	Item Name / Part No	Description	Unit Price including 3 year warranty	4 <sup>th</sup> Year- AMC	5 <sup>th</sup> Year- AMC	Sub Total	Quantity	Total Price
1								
2								
3								
4								
5								
6								

• Delivery locations would be as per clause 8.8 of the RFP

#### Annexure Z - Non-Disclosure Agreement

#### NON-DISCLOSURE AGREEMENT

This Agreement is made and entered on this day of, 2019("Effective Date") betw	een een
NATIONAL PAYMENTS CORPORATION OF INDIA, a company incorporated in India under Section Companies Act, 1956 (Section 8 of the Companies Act, 2013) and having its registered office at 1001 10th Floor, The Capital, Plot 70, Block G, Bandra-Kurla Complex, Bandra (East), Mumbai - Maharashtra, CIN: U74990MH2008NPL189067 (Hereinafter referred to as "NPCI", which expression mean and include unless repugnant to the context, its successors and permitted assigns);	1A, B Wing,
AND	
, a company registered inand	having its

The term "Disclosing Party" refers to the party disclosing the confidential information to the other party of this Agreement and the term "Receiving Party" means the party to this Agreement which is receiving the confidential information from the Disclosing Party.

----", which expression shall mean and include unless repugnant to the context, its successors and permitted

NPCI and ----- shall hereinafter be jointly referred to as the "Parties" and individually as a "Party".

#### **NOW THEREFORE**

registered office at \_\_

In consideration of the mutual protection of information herein by the parties hereto and such additional promises and understandings as are hereinafter set forth, the parties agree as follows:

### Article 1: Purpose

The purpose of this Agreement is to maintain in confidence the various Confidential Information, which is provided between NPCI and ----- to perform the considerations (hereinafter called "Purpose") set forth in below:

### (STATE THE PURPOSE)

#### Article 2: DEFINITION

For purposes of this Agreement, "Confidential Information" means the terms and conditions, and with respect to either party, any and all information in written, representational, electronic, verbal or other form relating directly or indirectly to the Purpose (including, but not limited to, information identified as being proprietary and/or confidential or pertaining to, pricing, marketing plans or strategy, volumes, services rendered, customers and suppliers lists, financial or technical or service matters or data, employee/agent/ consultant/officer/director related personal or sensitive data and any information which might reasonably be presumed to be proprietary or confidential in nature) excluding any such information which (i) is known to the public (through no act or omission of the Receiving Party in violation of this Agreement); (ii) is lawfully acquired by the Receiving Party from an independent source having no obligation to maintain the confidentiality of such information; (iii) was known to the Receiving Party prior to its disclosure under this Agreement; (iv) was or is independently developed by the Receiving Party without breach of this Agreement; or (v) is required to be disclosed by governmental or judicial order, in which case Receiving Party shall give the Disclosing Party prompt written notice, where possible, and use reasonable efforts to ensure that such disclosure is accorded confidential treatment and also to enable the Disclosing Party to seek a protective order or other appropriate remedy at Disclosing Party's sole costs. Confidential Information disclosed orally shall only be considered Confidential Information if: (i) identified as confidential, proprietary or the like at the time of disclosure, and (ii) confirmed in writing within Seven (7) days of disclosure.

\_ (Hereinafter referred to as "--

#### Article 3: NO LICENSES

This Agreement does not obligate either party to disclose any particular proprietary information; to purchase, sell, license, transfer, or otherwise dispose of any technology, services, or products; or to enter into any other form of business, contract or arrangement. Furthermore, nothing contained hereunder shall be construed as creating, conveying, transferring, granting or conferring by one party on the other party any rights, license or authority in or to the Confidential Information disclosed under this Agreement.

#### Article 4: DISCLOSURE

- 1. Receiving Party agrees and undertakes that it shall not, without first obtaining the written consent of the Disclosing Party, disclose or make available to any person, reproduce or transmit in any manner, or use (directly or indirectly) for its own benefit or the benefit of others, any Confidential Information save and except both parties may disclose any Confidential Information to their Affiliates, directors, officers, employees or advisors of their own or of Affiliates on a "need to know" basis to enable them to evaluate such Confidential Information in connection with the negotiation of the possible business relationship; provided that such persons have been informed of, and agree to be bound by obligations which are at least as strict as the recipient's obligations hereunder. For the purpose of this Agreement, Affiliates shall mean, with respect to any party, any other person directly or indirectly Controlling, Controlled by, or under direct or indirect common Control with, such party. "Control", "Controlled" or "Controlling" shall mean, with respect to any person, any circumstance in which such person is controlled by another person by virtue of the latter person controlling the composition of the Board of Directors or owning the largest or controlling percentage of the voting securities of such person or by way of contractual relationship or otherwise.
- 2. The Receiving Party shall use the same degree of care and protection to protect the Confidential Information received by it from the Disclosing Party as it uses to protect its own Confidential Information of a like nature, and in no event such degree of care and protection shall be of less than a reasonable degree of care.
- 3. The Disclosing Party shall not be in any way responsible for any decisions or commitments made by Receiving Party in relying on the Disclosing Party's Confidential Information.

#### Article 5: RETURN OR DESTRUCTION OF CONFIDENTIAL INFORMATION

The parties agree that upon termination of this Agreement or at any time during its currency, at the request of the Disclosing Party, the Receiving Party shall promptly deliver to the Disclosing Party the Confidential Information and copies thereof in its possession or under its direct or indirect control, and shall destroy all memoranda, notes and other writings prepared by the Receiving Party or its Affiliates or directors, officers, employees or advisors based on the Confidential Information and promptly certify such destruction.

#### Article 6: INDEPENDENT DEVELOPMENT AND RESIDUALS

Both parties acknowledge that the Confidential Information coming to the knowledge of the other may relate to and/or have implications regarding the future strategies, plans, business activities, methods, processes and or information of the parties, which afford them certain competitive and strategic advantage. Accordingly, nothing in this Agreement will prohibit the Receiving Party from developing or having developed for it products, concepts, systems or techniques that are similar to or compete with the products, concepts, systems or techniques contemplated by or embodied in the Confidential Information provided that the Receiving Party does not violate any of its obligations under this Agreement in connection with such development.

### **Article 7: INJUNCTIVE RELIEF**

The parties hereto acknowledge and agree that in the event of a breach or threatened breach by the other of the provisions of this Agreement, the party not in breach will have no adequate remedy in money or damages

and accordingly the party not in breach shall be entitled to injunctive relief against such breach or threatened breach by the party in breach.

#### **Article 8: NON-WAIVER**

No failure or delay by either party in exercising or enforcing any right, remedy or power hereunder shall operate as a waiver thereof, nor shall any single or partial exercise or enforcement of any right, remedy or power preclude any further exercise or enforcement thereof or the exercise of enforcement of any other right, remedy or power.

#### **Article 9: DISPUTE RESOLUTION**

If any dispute arises between the parties hereto during the subsistence or thereafter, in connection with or arising out of this Agreement, the dispute shall be referred to arbitration under the Indian Arbitration and Conciliation Act, 1996 by a sole arbitrator mutually agreed upon. In the absence of consensus about the single arbitrator, the dispute may be referred to joint arbitrators, one to be nominated by each party and the said arbitrators shall nominate a presiding arbitrator, before commencing the arbitration proceedings. Arbitration shall be held in Mumbai, India. The proceedings of arbitration shall be in the English language. The arbitrator's award shall be final and binding on the parties.

### Article 10: GOVERNING LAW AND JURISDICTION

This Agreement shall be governed exclusively by the laws of India and jurisdiction shall be vested exclusively in the courts at Mumbai in India.

#### Article 11: NON-ASSIGNMENT

This Agreement shall not be amended, modified, assigned or transferred by either party without the prior written consent of the other party.

### Article 12: TERM

This Agreement shall remain valid from the effective date until the termination of this Agreement. The obligations of each Party hereunder will continue and be binding irrespective of whether the termination of this Agreement for a period of five (5) years after the termination of this Agreement.

#### Article 13: INTELLECTUAL PROPERTY RIGHTS

Neither Party will use or permit the use of the other Party's names, logos, trademarks or other identifying data, or infringe Patent, Copyrights or otherwise discuss or make reference to such other Party in any notices to third Parties, any promotional or marketing material or in any press release or other public announcement or advertisement, however characterized, without such other Party's prior written consent.

#### Article 14: GENERAL

- 1. Nothing in this Agreement is intended to confer any rights/remedies under or by reason of this Agreement on any third party.
- 2. This Agreement and the confidentiality obligations of the Parties under this Agreement supersedes all prior discussions and writings with respect to the Confidential Information and constitutes the entire Agreement between the parties with respect to the subject matter hereof. If any term or provision of this Agreement is determined to be illegal, unenforceable, or invalid in whole or in part for any reason, such illegal, unenforceable, or invalid provisions or part(s) thereof shall be stricken from this Agreement.
- 3. Any breach of any provision of this Agreement by a party hereto shall not affect the other party's non-disclosure and non-use obligations under this Agreement.

**IN WITNESS WHEREOF,** the parties hereto have duly executed this Agreement by their duly authorized representatives as of the Effective Date written above.

NATIONAL PAYMENTS CORPORATION OF INDIA	TYPE COMPANY NAME
By: Name:	By: Name:
Designation:	Designation:

### Annexure U - Declaration regarding Distribution Channel

(Bidder's Letter Head)

### То

The Chief Executive Officer National Payments Corporation of India 1001A, B wing 10th Floor, 'The Capital', Bandra-Kurla Complex, Bandra (East), Mumbai - 400 051

Dear Sir,

I hereby confirm that (Bidder name) will not remain associated with this RFP in any other capacity as a part of distribution channel provided (Bidder name) has become eligible for commercial evaluation as per this **Request for Proposal for procurement of Wi-Fi Equipment - RFP No. NPCI/RFP/2018-19/IT/16 dated 13.02.2019.** I further certify that I am an authorized signatory of my company and am, therefore, competent to make this declaration.

Yours faithfully,